

OEJN

King Abdulaziz Intl


OJAI

Queen Alia Intl

2024/05/02 1409Z

OEJN MIGDA **L677** WEJ **M449** TBK TBK **M449** GIBET **UM449** KINOD OJAI

644.41 nm / 1193.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEJN	-	21.68280	0 ft	-	King Abdulaziz Intl
APT	-	39.15510	0 m	-	
MIGDA	-	22.64140	22,300 ft	62	-
FIX	-	38.71480	6,797 m	-	-
RIDEP	L677	23.64640	35,000 ft	65	-
FIX	AWY-HI	38.26610	10,668 m	-	-
YEN	L677	24.14950	35,000 ft	32	YENBO
VOR	AWY-HI	38.03860	10,668 m	-	
MUVAT	L677	25.63190	35,000 ft	108	-
FIX	AWY-HI	36.91280	10,668 m	-	-
WEJ	L677	26.17930	35,000 ft	40	WEJH
VOR	AWY-HI	36.48810	10,668 m	-	
NETOL	M449	27.13000	35,000 ft	57	-
FIX	AWY-HI	36.54060	10,668 m	-	-
TBK	M449	28.36470	35,000 ft	74	TABUK
VOR	AWY-HI	36.61020	10,668 m	-	
TBK	-	28.36730	35,000 ft	0	TABUK VORTAC
DME	-	36.60700	10,668 m	-	
RABUG	M449	28.60610	35,000 ft	14	-
FIX	AWY-HI	36.56720	10,668 m	-	-
EGSIS	M449	29.08750	34,300 ft	29	-
FIX	AWY-HI	36.48060	10,455 m	-	-
GIBET	M449	29.43890	29,700 ft	21	-
FIX	AWY-HI	36.41690	9,053 m	-	-
PETRA	UM449	29.70170	26,300 ft	15	-
FIX	AWY-HI	36.36940	8,016 m	-	-
KINOD	UM449	30.20010	19,800 ft	30	-
FIX	AWY-HI	36.26680	6,035 m	-	-
OJAI	-	31.72330	0 ft	92	Queen Alia Intl
APT	-	35.99400	0 m	-	

OEJN

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 49 ft / 15 m
Location: 21.682800 39.155100
Magnetic Var: 3.894 E

METAR

OEJN 021300Z 30012KT CAVOK 34/11 Q1005 NOSIG

TAF

TAF OEJN 021100Z 0212/0318 30012KT CAVOK BECMG 0218/0220 36006KT 7000 NSC BECMG 0307/0311 29012KT

Frequencies

TWR - 118.20 MHz - JEDDAH TOWER
GND - 121.90 MHz - JEDDAH GROUND
REC - 126.20 MHz - JEDDAH ATIS
APP - 119.10 MHz - JEDDAH APPROACH
APP - 123.80 MHz - JEDDAH DIRECTOR

TWR - 124.30 MHz - JEDDAH TOWER
GND - 121.60 MHz - JEDDAH GROUND
DEP - 124.00 MHz - JEDDAH DEPARTURE
APP - 124.00 MHz - JEDDAH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	156.00		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.99		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.98		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.99		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	156.00		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.98		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.99		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.98		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	336.00		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.99		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	156.00		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.98		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.99		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.98		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	336.00		49 m

OJAI

Region: JORDAN AND THE WEST BANK
Timezone: ASIA/AMMAN
Runways: 2

Elevation: 2,395 ft / 730 m
Location: 31.723300 35.994000
Magnetic Var: 5.166 E

METAR

OJAI 021300Z 29013KT 5000 HZ SCT035 25/13 Q1010 NOSIG

TAF

TAF OJAI 021044Z 0212/0318 29012KT 5000 HZ FEW035 PROB30 0212/0218 30020KT 4000 BLDU FEW030TCU PROB30 0300/0306 3

Frequencies

REC - 127.60 MHz - ATIS
TWR - 119.80 MHz - QUEEN ALIA TOWER
GND - 121.90 MHz - QUEEN ALIA GROUND
APP - 128.90 MHz - AMMAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	200 ft	12,014 ft	80.37	ASPHALT	0 ft	663 ft
	61 m	3,662 m	75.20		0 m	202 m
26R	200 ft	12,014 ft	260.39	ASPHALT	0 ft	479 ft
	61 m	3,662 m	255.22		0 m	146 m
08R	200 ft	11,991 ft	80.34	ASPHALT	0 ft	489 ft
	61 m	3,655 m	75.18		0 m	149 m
26L	200 ft	11,991 ft	260.36	ASPHALT	0 ft	495 ft
	61 m	3,655 m	255.20		0 m	151 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	IQAN	109.30 MHz	18 nm	80.38	-	2,395 ft
				33 km	75.21		2,395 m
26L	LOC-ILS	IQA	110.90 MHz	18 nm	260.35	-	2,395 ft
				33 km	255.18		2,395 m
26R	LOC-ILS	IQAR	111.10 MHz	18 nm	260.38	-	2,395 ft
				33 km	255.21		2,395 m
08L	GS	IQAN	109.30 MHz	10 nm	80.38	3.00	2,395 ft
				19 km	75.21		2,395 m
26L	GS	IQA	110.90 MHz	10 nm	260.35	3.00	2,395 ft
				19 km	255.18		2,395 m
26R	GS	IQAR	111.10 MHz	10 nm	260.38	3.00	2,395 ft
				19 km	255.21		2,395 m