

# LIPZ

Venezia-Tessera "Marco Polo"


# LIRN

Napoli-Capodichino "Ugo Niutta"

2024/06/07 2234Z

LIPZ LANLI **L612** ANC **M736** NAVAG LIRN

293.55 nm / 543.65 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50480	0 ft	-	Venezia-Tessera "Marco Polo"
APT	-	12.34970	0 m		
LANLI	-	43.95730	35,000 ft	99	-
FIX	-	13.18050	10,668 m		
ANC	L612	43.58640	35,000 ft	25	ANCONA
VOR	AWY-HI	13.47110	10,668 m		
GERBU	M736	43.34400	32,600 ft	16	-
FIX	AWY-HI	13.62390	9,936 m		
UTENO	M736	43.25080	31,300 ft	6	-
FIX	AWY-HI	13.68220	9,540 m		
OTRET	M736	42.69440	23,400 ft	36	-
FIX	AWY-HI	14.02670	7,132 m		
NAVAG	M736	42.58030	21,800 ft	7	-
FIX	AWY-HI	14.09670	6,645 m		
LIRN	-	40.88600	0 ft	102	Napoli-Capodichino "Ugo Niutta"
APT	-	14.29080	0 m		

## LIPZ

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 45.504800 12.349700  
Magnetic Var: 3.914 E

## METAR

LIPZ 072150Z 18004KT 9999 FEW050 25/21 Q1015 NOSIG

## TAF

TAF LIPZ 071700Z 0718/0824 VRB05KT 9999 SCT040 BECMG 0810/0812 16010KT BECMG 0818/0820 04007KT

## Frequencies

REC - 128.65 MHz - ATIS  
TWR - 120.20 MHz - VENEZIA TOWER  
APP - 118.25 MHz - VENEZIA APPROACH  
GND - 121.70 MHz - VENEZIA GROUND  
APP - 118.90 MHz - VENEZIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.11		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.13		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m

## LIRN

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 292 ft / 89 m  
Location: 40.886000 14.290800  
Magnetic Var: 3.969 E

## METAR

LIRN 072150Z VRB01KT CAVOK 23/15 Q1017 NOSIG

## TAF

TAF LIRN 071700Z 0718/0818 VRB05KT CAVOK BECMG 0809/0811 24010KT BECMG 0816/0818 VRB05KT

## Frequencies

APP - 124.35 MHz - NAPOLI APPROACH  
TWR - 118.50 MHz - NAPOLI TOWER  
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH  
GND - 121.90 MHz - NAPOLI GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.07		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.08		185 m	70 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.11		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.11		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.09		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.11		292 m