

# DIAP

Abidjan Felix Houphouet Boigny Intl


# LFPO

Paris Orly

2024/05/16 0254Z

DIAP AD **UA614** IPOBA **A614** TIO **G26** BAY **A604** MOS **A34** HAMRA **UN608** LRD **N608** GEMAS **UN608** GIROM **UN863**  
AGN **UT185** PERIG **A34** FIR12 LFPO

2661.71 nm / 4929.48 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
DIAP	-	5.26126	0 ft	-	Abidjan Felix Houphouet Boigny Intl	
APT	-	-3.92586	0 m			
AD	-	5.28282	400 ft	1	ABIDJAN	
VOR	-	-3.91698	122 m			
KOSOL	UA614	7.52692	35,000 ft	136	-	
FIX	AWY-HI	-3.56438	10,668 m			
GUPEX	UA614	7.75861	35,000 ft	14	-	
FIX	AWY-HI	-3.52778	10,668 m			
LUGEX	UA614	8.43176	35,000 ft	40	-	
FIX	AWY-HI	-3.42075	10,668 m			
BIGOM	UA614	10.53080	35,000 ft	127	-	
FIX	AWY-HI	-3.08444	10,668 m			
ONTIK	UA614	11.43250	35,000 ft	54	-	
FIX	AWY-HI	-2.93859	10,668 m			
GEBLU	UA614	11.77080	35,000 ft	20	-	
FIX	AWY-HI	-2.88361	10,668 m			
GUPOV	UA614	12.39780	35,000 ft	38	-	
FIX	AWY-HI	-2.78139	10,668 m			
TAVOT	UA614	13.08310	35,000 ft	41	-	
FIX	AWY-HI	-2.66917	10,668 m			
VOLBU	UA614	14.40140	35,000 ft	80	-	
FIX	AWY-HI	-2.45139	10,668 m			
PILTI	UA614	15.28500	35,000 ft	53	-	
FIX	AWY-HI	-2.30389	10,668 m			
LUKNA	UA614	17.73470	35,000 ft	149	-	
FIX	AWY-HI	-1.88833	10,668 m			
XUMIL	UA614	18.56780	35,000 ft	50	-	
FIX	AWY-HI	-1.74417	10,668 m			
AROGA	UA614	20.24780	35,000 ft	102	-	
FIX	AWY-HI	-1.44959	10,668 m			
IPOBA	UA614	22.47670	35,000 ft	135	-	
FIX	AWY-HI	-1.04833	10,668 m			
TIO	A614	29.22610	35,000 ft	411	TIMIMOUN	
VOR	AWY-HI	0.25809	10,668 m			
GOLIB	G26	33.00000	35,000 ft	229	-	
FIX	AWY-HI	0.94639	10,668 m			
BAY	G26	33.70980	35,000 ft	43	EL BAYADH	
VOR	AWY-HI	1.07919	10,668 m			
FAROS	A604	35.50560	35,000 ft	114	-	
FIX	AWY-HI	0.30722	10,668 m			
MOS	A604	35.89860	35,000 ft	25	MOSTAGANEM	
VOR	AWY-HI	0.13630	10,668 m			
BAHRI	A34	36.29530	35,000 ft	24	-	
FIX	AWY-HI	0.06917	10,668 m			
HAMRA	A34	36.87110	35,000 ft	34	-	
FIX	AWY-HI	-0.02361	10,668 m			
RAFOL	UN608	37.94940	35,000 ft	64	-	
FIX	AWY-HI	-0.01689	10,668 m			
MITOS	UN608	38.44940	35,000 ft	30	-	
FIX	AWY-HI	-0.01372	10,668 m			
COMPI	UN608	39.35080	35,000 ft	54	-	
FIX	AWY-HI	-0.00789	10,668 m			
SOPET	UN608	39.83380	35,000 ft	29	-	

Ident Type	Via		Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-0.00469	10,668 m			
CASIM	UN608	40.23080	35,000 ft	24	-	
FIX	AWY-HI	0.14297	10,668 m			
MATEX	UN608	40.55660	35,000 ft	20	-	
FIX	AWY-HI	0.26547	10,668 m			
DORMI	UN608	40.87110	35,000 ft	19	-	
FIX	AWY-HI	0.38492	10,668 m			
SALAS	UN608	41.10970	35,000 ft	14	-	
FIX	AWY-HI	0.47636	10,668 m			
BALDE	UN608	41.22990	35,000 ft	7	-	
FIX	AWY-HI	0.52267	10,668 m			
VILAR	UN608	41.34180	35,000 ft	6	-	
FIX	AWY-HI	0.56592	10,668 m			
LRD	UN608	41.55290	35,000 ft	13		LERIDA
NDB	AWY-HI	0.64803	10,668 m			
GEMAS	N608	41.84500	35,000 ft	17	-	
FIX	AWY-LO	0.73025	10,668 m			
BARBO	UN608	42.44880	35,000 ft	37	-	
FIX	AWY-HI	0.90275	10,668 m			
GIROM	UN608	42.77490	35,000 ft	20	-	
FIX	AWY-HI	0.99731	10,668 m			
ASPET	UN863	43.00000	35,000 ft	13	-	
FIX	AWY-HI	0.97972	10,668 m			
AGN	UN863	43.88800	35,000 ft	53		AGEN
VOR	AWY-HI	0.87286	10,668 m			
PERIG	UT185	45.11720	35,000 ft	73	-	
FIX	AWY-HI	0.96944	10,668 m			
MAVAC	A34	45.51640	35,000 ft	24	-	
FIX	AWY-LO	1.00194	10,668 m			
LMG	A34	45.81590	35,000 ft	18		LIMOGES
VOR	AWY-LO	1.02558	10,668 m			
BALAN	A34	46.51610	31,300 ft	42	-	
FIX	AWY-LO	1.03333	9,540 m			
SOPIL	A34	47.02580	24,800 ft	30	-	
FIX	AWY-LO	1.05500	7,559 m			
FIR12	A34	47.16670	23,000 ft	8	-	
FIX	AWY-LO	1.05833	7,010 m			
LFPO	-	48.72630	0 ft	107		Paris Only
APT	-	2.36698	0 m			

## DIAP

Region: CÔTE D'IVOIRE  
Timezone: AFRICA/ABIDJAN  
Runways: 1

Elevation: 20 ft / 6 m  
Location: 5.261240 -3.925880  
Magnetic Var: 3.996 W

## METAR

DIAP 160230Z 07003KT 9999 FEW015 26/25 Q1010 NOSIG

## TAF

TAF DIAP 152300Z 1600/1706 20004KT 8000 SCT011 PROB30 TEMPO 1604/1608 TS BKN011 FEW020CB PROB40 1615/1620 BKN013

## Frequencies

REC - 129.10 MHz - ABIDJAN ATIS INFORMATION      TWR - 118.10 MHz - ABIDJAN TOWER  
APP - 121.10 MHz - ABIDJAN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,891 ft	22.34	ASPHALT	0 ft	187 ft
	45 m	3,015 m	26.33		0 m	57 m
21	148 ft	9,891 ft	202.34	ASPHALT	0 ft	328 ft
	45 m	3,015 m	206.33		0 m	100 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	AN	110.30 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
21	LOC-ILS	AN	110.30 MHz	18 nm	202.34	-	20 ft
				33 km	206.34		20 m
21	GS	AN	110.30 MHz	10 nm	202.34	3.00	20 ft
				19 km	206.34		20 m

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.452 E

## METAR

LFPO 160230Z AUTO 23005KT 210V270 9999 ///TCU 13/11 Q1006 BECMG NSC

## TAF

TAF AMD LFPO 152353Z 1600/1706 24004KT CAVOK PROB40 TEMPO 1600/1603 -SHRA SCT040TCU PROB30 TEMPO 1605/1607 BKN009

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m