

LIPZ

Venezia-Tessera "Marco Polo"


LIMW

Valle d'Aosta "Corrado Gex"

2024/06/07 2210Z

LIPZ ORI LIMW

209.68 nm / 388.32 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 250kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50480	0 ft	-	Venezia-Tessera	"Marco Polo"
APT	-	12.34970	0 m			
ORI	-	45.64380	15,000 ft	105	ORIO AL SERIO (BERGAMO)	
NDB	-	9.84167	4,572 m			
LIMW	-	45.73860	0 ft	103	Valle d'Aosta	"Corrado Gex"
APT	-	7.36825	0 m			

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.914 E

METAR

LIPZ 072120Z 18005KT 9999 FEW050 25/20 Q1015 NOSIG

TAF

TAF LIPZ 071700Z 0718/0824 VRB05KT 9999 SCT040 BECMG 0810/0812 16010KT BECMG 0818/0820 04007KT

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.11		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m

LIMW

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 1,791 ft / 546 m
Location: 45.738600 7.368250
Magnetic Var: 2.819 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

COM - 119.95 MHz - AFIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	5,648 ft	84.80	ASPHALT	184 ft	98 ft
	30 m	1,722 m	81.98		56 m	30 m
27	98 ft	5,648 ft	264.81	ASPHALT	115 ft	98 ft
	30 m	1,722 m	262.00		35 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IAOS	109.75 MHz	25 nm	-	-	1,797 ft
				46 km	-		1,797 m
27	LOC-ILS	IAOS	109.75 MHz	18 nm	264.70	-	1,797 ft
				33 km	261.88		1,797 m
27	GS	IAOS	109.75 MHz	10 nm	265.40	5.00	1,797 ft
				19 km	262.58		1,797 m