

# MYNN

Lynden Pindling Intl


# KSTL

St. Louis Lambert Intl

2024/05/12 0447Z

MYNN LAUTH **BR65V** ZFP **BR62V** ANGEE **V492** MLB **V3** MALET **J79** OMN **J45** BNA **Q19** TINGS **J45** DENNI KSTL

1065.96 nm / 1974.16 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MYNN APT	-	25.03870 -77.46680	0 ft 0 m	-	Lynden Pindling Intl
LAUTH FIX	-	26.12670 -78.34300	28,800 ft 8,778 m	80	-
ZFP VOR	BR65V AWY-HI	26.55530 -78.69790	35,000 ft 10,668 m	32	FREEPORT
JAKEL FIX	BR62V AWY-HI	26.81620 -79.10770	35,000 ft 10,668 m	27	-
BERTH FIX	BR62V AWY-HI	26.95360 -79.32540	35,000 ft 10,668 m	14	-
SURFN FIX	BR62V AWY-HI	27.26260 -79.81800	35,000 ft 10,668 m	32	-
FORNL FIX	BR62V AWY-HI	27.32600 -79.91970	35,000 ft 10,668 m	6	-
ANGEE FIX	BR62V AWY-HI	27.46790 -80.14840	35,000 ft 10,668 m	14	-
CUKPO FIX	V492 AWY-LO	27.60780 -80.25460	35,000 ft 10,668 m	10	-
MLB VOR	V492 AWY-LO	28.10530 -80.63530	35,000 ft 10,668 m	36	MELBOURNE
INDIA FIX	V3 AWY-LO	28.43450 -80.76540	35,000 ft 10,668 m	20	-
TICCO FIX	V3 AWY-LO	28.51680 -80.79800	35,000 ft 10,668 m	5	-
MALET FIX	V3 AWY-LO	28.69160 -80.86790	35,000 ft 10,668 m	11	-
OMN VOR	J79 AWY-HI	29.30330 -81.11270	35,000 ft 10,668 m	38	ORMOND BEACH
CRG VOR	J45 AWY-HI	30.33890 -81.50990	35,000 ft 10,668 m	65	CRAIG (JACKSONVILLE)
YULEE FIX	J45 AWY-HI	30.71450 -81.81960	35,000 ft 10,668 m	27	-
HILRD FIX	J45 AWY-HI	30.84680 -81.92940	35,000 ft 10,668 m	9	-
AMG VOR	J45 AWY-HI	31.53660 -82.50810	35,000 ft 10,668 m	50	ALMA
MCN VOR	J45 AWY-HI	32.69120 -83.64720	35,000 ft 10,668 m	90	MACON
ATL VOR	J45 AWY-HI	33.62910 -84.43510	35,000 ft 10,668 m	68	ATLANTA
BNA VOR	J45 AWY-HI	36.13700 -86.68480	35,000 ft 10,668 m	186	NASHVILLE
TINGS FIX	Q19 AWY-HI	37.30300 -88.25620	28,300 ft 8,626 m	103	-
DENNI FIX	J45 AWY-HI	37.62300 -88.70110	22,200 ft 6,767 m	28	-
KSTL APT	-	38.74900 -90.37040	0 ft 0 m	103	St. Louis Lambert Intl

## MYNN

Region: BAHAMAS  
Timezone: AMERICA/NASSAU  
Runways: 2

Elevation: 16 ft / 5 m  
Location: 25.038700 -77.466800  
Magnetic Var: 8.781 W

## METAR

MYNN 120400Z 24003KT 9999 FEW025 SCT200 26/23 A2989

## TAF

TAF MYNN 112334Z 1200/1224 VRB02KT CAVOK BECMG 1213/1215 01008KT 9999 FEW030

## Frequencies

REC - 118.70 MHz - ATIS	CLD - 118.30 MHz - NASSAU CLEARANCE
GND - 121.70 MHz - NASSAU GROUND	TWR - 119.50 MHz - NASSAU TOWER
APP - 121.00 MHz - NASSAU APPROACH	APP - 125.30 MHz - NASSAU APPROACH
DEP - 121.00 MHz - NASSAU DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	11,136 ft	134.80	CONCRETE	210 ft	0 ft
	46 m	3,394 m	143.58		64 m	0 m
32	151 ft	11,136 ft	314.81	CONCRETE	0 ft	0 ft
	46 m	3,394 m	323.59		0 m	0 m
10	151 ft	8,282 ft	89.67	CONCRETE	0 ft	0 ft
	46 m	2,524 m	98.45		0 m	0 m
28	151 ft	8,282 ft	269.68	CONCRETE	0 ft	0 ft
	46 m	2,524 m	278.46		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IZQA	110.10 MHz	18 nm	134.83	-	7 ft
				33 km	143.61		7 m
14	GS	IZQA	110.10 MHz	10 nm	135.66	3.00	8 ft
				19 km	144.44		8 m

## KSTL

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 4

Elevation: 604 ft / 184 m  
Location: 38.749000 -90.370400  
Magnetic Var: 1.963 W

## METAR

KSTL 120351Z 24003KT 10SM CLR 18/08 A2992 RMK A02 SLP125 T01830078 \$

## TAF

KSTL 120258Z 1203/1306 25005KT P6SM FEW250 FM121600 19008KT P6SM SCT250

## Frequencies

REC - 125.05 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.50 MHz - CLEARANCE DELIVERY	GND - 127.55 MHz - ST. LOUIS GROUND
GND - 121.07 MHz - ST. LOUIS GROUND	GND - 121.65 MHz - ST. LOUIS GROUND
GND - 121.90 MHz - ST. LOUIS GROUND	GND - 118.92 MHz - ST. LOUIS GROUND
TWR - 132.47 MHz - ST. LOUIS TOWER	TWR - 120.05 MHz - ST. LOUIS TOWER
TWR - 118.50 MHz - ST. LOUIS TOWER	APP - 132.12 MHz - ST. LOUIS APPROACH
APP - 121.05 MHz - ST. LOUIS APPROACH	APP - 123.70 MHz - ST. LOUIS APPROACH
DEP - 119.15 MHz - ST. LOUIS DEPARTURE	DEP - 128.10 MHz - ST. LOUIS DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	151 ft	9,012 ft	122.28	CONCRETE	0 ft	390 ft
	46 m	2,747 m	124.24		0 m	119 m
29	151 ft	9,012 ft	302.30	CONCRETE	0 ft	390 ft
	46 m	2,747 m	304.26		0 m	119 m
06	151 ft	7,615 ft	62.73	CONCRETE	0 ft	89 ft
	46 m	2,321 m	64.69		0 m	27 m
24	151 ft	7,615 ft	242.74	CONCRETE	0 ft	89 ft
	46 m	2,321 m	244.71		0 m	27 m
12R	200 ft	11,031 ft	122.29	CONCRETE	479 ft	164 ft
	61 m	3,362 m	124.26		146 m	50 m
30L	200 ft	11,031 ft	302.31	CONCRETE	213 ft	187 ft
	61 m	3,362 m	304.28		65 m	57 m
12L	151 ft	9,012 ft	122.32	CONCRETE	0 ft	121 ft
	46 m	2,747 m	124.28		0 m	37 m
30R	151 ft	9,012 ft	302.33	CONCRETE	0 ft	200 ft
	46 m	2,747 m	304.30		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IJAK	110.30 MHz	18 nm	-	-	556 ft
				33 km	-		556 m
11	DME	IOGZ	111.95 MHz	18 nm	-	-	548 ft
				33 km	-		548 m
12L	DME	ILDZ	108.90 MHz	18 nm	-	-	616 ft
				33 km	-		616 m
24	DME	ISTL	110.30 MHz	18 nm	-	-	540 ft
				33 km	-		540 m
29	DME	IRQN	111.95 MHz	18 nm	-	-	608 ft
				33 km	-		608 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	DME	ISJW	111.30 MHz	18 nm 33 km	- -	-	546 ft 546 m
06	LOC-ILS	IJAK	110.30 MHz	18 nm 33 km	62.72 64.68	-	541 ft 541 m
11	LOC-ILS	I0GZ	111.95 MHz	18 nm 33 km	122.29 124.26	-	545 ft 545 m
12L	LOC-ILS	ILDZ	108.90 MHz	18 nm 33 km	122.31 124.27	-	598 ft 598 m
12R	LOC-ILS	ILMR	109.70 MHz	18 nm 33 km	122.30 124.27	-	588 ft 588 m
24	LOC-ILS	ISTL	110.30 MHz	18 nm 33 km	242.73 244.69	-	545 ft 545 m
29	LOC-ILS	IRQN	111.95 MHz	18 nm 33 km	302.27 304.23	-	613 ft 613 m
30L	LOC-ILS	IBKY	111.50 MHz	18 nm 33 km	302.29 304.26	-	549 ft 549 m
30R	LOC-ILS	ISJW	111.30 MHz	18 nm 33 km	302.30 304.26	-	530 ft 530 m
06	GS	IJAK	110.30 MHz	10 nm 19 km	63.45 65.42	3.00	539 ft 539 m
11	GS	I0GZ	111.95 MHz	10 nm 19 km	122.56 124.53	3.00	598 ft 598 m
12L	GS	ILDZ	108.90 MHz	10 nm 19 km	122.62 124.58	3.00	598 ft 598 m
12R	GS	ILMR	109.70 MHz	10 nm 19 km	122.61 124.57	3.00	528 ft 528 m
24	GS	ISTL	110.30 MHz	10 nm 19 km	243.45 245.42	3.00	528 ft 528 m
29	GS	IRQN	111.95 MHz	10 nm 19 km	302.56 304.53	3.00	556 ft 556 m
30L	GS	IBKY	111.50 MHz	10 nm 19 km	302.61 304.57	3.00	566 ft 566 m
30R	GS	ISJW	111.30 MHz	10 nm 19 km	302.62 304.58	3.00	592 ft 592 m