


2024/04/28 0426Z

VOMM GURAS **A465** VVZ **W90** LARIK **A465** KAKID 2100N08700E DAKLU VEPH

782.60 nm / 1449.38 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOMM	-	12.99510	0 ft	-	Chennai International Airport
APT	-	80.16900	0 m		
GURAS	-	14.00140	25,600 ft	71	-
FIX	-	80.83170	7,803 m		
DOKET	A465	15.55670	35,000 ft	110	-
FIX	AWY-HI	81.84030	10,668 m		
GOPNU	A465	15.85330	35,000 ft	21	-
FIX	AWY-HI	82.04000	10,668 m		
XOPOX	A465	16.76780	35,000 ft	65	-
FIX	AWY-HI	82.64640	10,668 m		
VVZ	A465	17.66770	35,000 ft	64	VISHAKHAPATNAM
VOR	AWY-HI	83.25280	10,668 m		
LARIK	W90	18.83440	35,000 ft	115	-
FIX	AWY-HI	84.87280	10,668 m		
ISMON	A465	19.11780	35,000 ft	28	-
FIX	AWY-HI	85.26440	10,668 m		
SADGU	A465	19.27720	35,000 ft	13	-
FIX	AWY-HI	85.44310	10,668 m		
LEMEX	A465	19.90920	35,000 ft	55	-
FIX	AWY-HI	86.15610	10,668 m		
PALKO	A465	20.05080	35,000 ft	12	-
FIX	AWY-HI	86.32280	10,668 m		
KAKID	A465	20.64330	35,000 ft	51	-
FIX	AWY-HI	86.99500	10,668 m		
2100N08700E	-	21.00000	32,200 ft	21	-
LATLON	-	87.00000	9,815 m		
DAKLU	-	22.14610	17,200 ft	70	-
FIX	-	87.25500	5,243 m		
VEPH	-	23.47430	0 ft	80	PANAGARH
APT	-	87.42750	0 m		

## VOMM

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 2

Elevation: 51 ft / 16 m  
Location: 12.995100 80.169000  
Magnetic Var: 0.781 W

## METAR

VOMM 280400Z 22008KT 6000 FEW020 33/27 Q1008 NOSIG

## TAF

VOMM 272300Z 2800/2906 25003KT 3000 BR FEW020 SCT100 BECMG 2803/2804 5000 HZ BECMG 2805/2806 14010KT 6000 BECMG 28

## Frequencies

REC - 127.45 MHz - ATIS  
TWR - 118.10 MHz -  
APP - 124.45 MHz -  
GND - 121.90 MHz -  
APP - 127.90 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	12,013 ft	68.92	ASPHALT	0 ft	476 ft
	45 m	3,661 m	69.70		0 m	145 m
25	148 ft	12,013 ft	248.93	ASPHALT	0 ft	492 ft
	45 m	3,661 m	249.71		0 m	150 m
12	148 ft	10,604 ft	117.74	ASPHALT	2,556 ft	0 ft
	45 m	3,232 m	118.52		779 m	0 m
30	148 ft	10,604 ft	297.74	ASPHALT	1,135 ft	0 ft
	45 m	3,232 m	298.52		346 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IMAS	110.30 MHz	18 nm	-	-	52 ft
				33 km	-		52 m
07	LOC-ILS	IMAS	110.30 MHz	18 nm	68.92	-	51 ft
				33 km	69.70		51 m
25	LOC-ILS	ICHN	109.70 MHz	18 nm	248.92	-	51 ft
				33 km	249.70		51 m
07	GS	IMAS	110.30 MHz	10 nm	68.92	3.00	51 ft
				19 km	69.70		51 m
25	GS	ICHN	109.70 MHz	10 nm	248.92	3.00	51 ft
				19 km	249.70		51 m