

# LIPZ

Venezia-Tessera "Marco Polo"


# LIRZ

Perugia-Sant'Egidio "Adamo Giuglietti"

2024/06/03 1302Z

LIPZ ASDOR LIRZ

144.86 nm / 268.29 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIPZ	-	45.50480	0 ft	-	Venezia-Tessera	"Marco Polo"
APT	-	12.34970	0 m			
ASDOR	-	43.78470	8,900 ft	103	-	
FIX	-	12.39970	2,713 m			
LIRZ	-	43.09810	0 ft	41	Perugia-Sant'Egidio	"Adamo Giuglietti"
APT	-	12.51400	0 m			

## LIPZ

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 45.504800 12.349700  
Magnetic Var: 3.913 E

## METAR

LIPZ 031220Z 18005KT 150V220 9999 FEW040 21/15 Q1012 NOSIG

## TAF

TAF LIPZ 031100Z 0312/0418 VRB05KT 9999 SCT030 TEMPO 0403/0407 BKN007 TEMPO 0408/0416 SHRA

## Frequencies

REC - 128.65 MHz - ATIS  
TWR - 120.20 MHz - VENEZIA TOWER  
APP - 118.25 MHz - VENEZIA APPROACH  
GND - 121.70 MHz - VENEZIA GROUND  
APP - 118.90 MHz - VENEZIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.13		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m

## LIRZ

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 695 ft / 212 m  
Location: 43.098100 12.514000  
Magnetic Var: 3.800 E

## METAR

LIRZ 031220Z AUTO 23006KT 150V300 9999 FEW100/// 22/12 Q1014

## TAF

TAF LIRZ 031100Z 0312/0412 24010KT 9999 SCT030 TEMPO 0312/0317 TSRA BECMG 0318/0320 VRB05KT

## Frequencies

APP - 125.60 MHz - PERUGIA APPROACH

TWR - 118.10 MHz - PERUGIA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	7,221 ft	14.28	ASPHALT	0 ft	322 ft
	45 m	2,201 m	10.48		0 m	98 m
19	148 ft	7,221 ft	194.29	ASPHALT	0 ft	210 ft
	45 m	2,201 m	190.49		0 m	64 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IPE	110.95 MHz	18 nm	-	-	667 ft
				33 km	-		667 m
01	LOC-ILS	IPE	110.95 MHz	18 nm	14.28	-	695 ft
				33 km	10.48		695 m
01	GS	IPE	110.95 MHz	10 nm	14.28	3.40	695 ft
				19 km	10.48		695 m