


2024/05/06 1148Z

VECC CEA **Q11** GURAS VOTX

755.21 nm / 1398.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VECC	-	22.65480	0 ft	-	Kolkata Intl
APT	-	88.44670	0 m		
CEA	-	22.64520	200 ft	0	KOLKATA VOR-DME
DME	-	88.45290	61 m		
MAVLA	Q11	20.82080	35,000 ft	143	-
FIX	AWY-HI	86.79170	10,668 m		
SURUP	Q11	20.47080	35,000 ft	27	-
FIX	AWY-HI	86.48330	10,668 m		
BOLUS	Q11	20.11390	35,000 ft	27	-
FIX	AWY-HI	86.17110	10,668 m		
ONATI	Q11	19.99560	35,000 ft	9	-
FIX	AWY-HI	86.06780	10,668 m		
SADGU	Q11	19.27720	35,000 ft	55	-
FIX	AWY-HI	85.44310	10,668 m		
KAGUL	Q11	18.73750	35,000 ft	41	-
FIX	AWY-HI	84.97920	10,668 m		
POTAS	Q11	17.50000	35,000 ft	95	-
FIX	AWY-HI	83.92080	10,668 m		
NODAX	Q11	17.22920	35,000 ft	21	-
FIX	AWY-HI	83.68750	10,668 m		
KASRO	Q11	15.67500	35,000 ft	120	-
FIX	AWY-HI	82.36670	10,668 m		
GURAS	Q11	14.00140	16,600 ft	134	-
FIX	AWY-HI	80.83170	5,060 m		
VOTX	-	12.90570	0 ft	77	TAMBARAM
APT	-	80.12220	0 m		

VECC

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 22 ft / 7 m
Location: 22.654800 88.446700
Magnetic Var: 0.072 E

METAR

VECC 061130Z 19014KT 4000 HZ SCT018 BKN100 33/28 Q1002 TEMPO TL1200 18015G25KT

TAF

TAF VECC 060500Z 0606/0712 18012KT 4000 HZ SCT018 BKN100 TEMPO 0610/0614 27015G25KT 1500 TSRA SCT015 FEW025CB OVC0

Frequencies

REC - 126.40 MHz - ATIS
TWR - 127.30 MHz - KOLKATA RADIO
APP - 127.90 MHz - KOLKATA APPROACH
GND - 121.90 MHz - KOLKATA GROUND
TWR - 118.10 MHz - KOLKATA TOWER
DEP - 128.80 MHz - KOLKATA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	148 ft	11,970 ft	6.21	ASPHALT	0 ft	213 ft
	45 m	3,648 m	6.14		0 m	65 m
19L	148 ft	11,970 ft	186.21	ASPHALT	1,411 ft	469 ft
	45 m	3,648 m	186.14		430 m	143 m
01L	148 ft	10,771 ft	6.21	ASPHALT	1,450 ft	0 ft
	45 m	3,283 m	6.14		442 m	0 m
19R	148 ft	10,771 ft	186.21	ASPHALT	292 ft	0 ft
	45 m	3,283 m	186.14		89 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	ICAL	109.90 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
19L	DME	IDUM	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
01R	LOC-ILS	ICAL	109.90 MHz	18 nm	5.55	-	18 ft
				33 km	5.48		18 m
19L	LOC-ILS	IDUM	110.30 MHz	18 nm	186.15	-	20 ft
				33 km	186.08		20 m
01R	GS	ICAL	109.90 MHz	10 nm	6.40	3.00	16 ft
				19 km	6.33		16 m
19L	GS	IDUM	110.30 MHz	10 nm	186.40	3.00	16 ft
				19 km	186.33		16 m