


2024/05/09 2118Z

SKBO SKCL

150.42 nm / 278.59 km



Notes

Generated

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKBO	-	4.71050	0 ft	-	-
APT	-	-74.16917	0 m		
SKCL	-	3.52990	0 ft	150	-
APT	-	-76.38392	0 m		

SKBO

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 2

Elevation: 8,358 ft / 2,548 m
Location: 4.701600 -74.147000
Magnetic Var: 8.192 W

METAR

SKBO 092100Z 04009KT 9999 VCSH SCT012CB BKN070 18/15 Q1025 NOSIG RMK CB VCSH/W

TAF

TAF SKBO 091630Z 0918/1018 14012KT 9999 FEW010 BKN020 BECMG 0920/0921 28012KT SCT023 TEMPO 0920/0924 TSRA SCT017C

Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m

SKCL

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 1

Elevation: 3,162 ft / 964 m
Location: 3.543180 -76.381700
Magnetic Var: 6.552 W

METAR

SKCL 092100Z VRB02KT 8000 SCT020 BKN120 25/19 Q1015 NOSIG

TAF

TAF SKCL 091630Z 0918/1018 11005KT 9999 SCT020 BKN090 TEMPO 0918/0920 DZ BKN015 TEMPO 1005/1008 DZ BKN020 BECMG 10

Frequencies

GND - 121.90 MHz - CALI GROUND
REC - 115.50 MHz - ATIS

TWR - 118.10 MHz - CALI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	9,852 ft	9.83	ASPHALT	0 ft	131 ft
	45 m	3,003 m	16.38		0 m	40 m
20	148 ft	9,852 ft	189.83	ASPHALT	0 ft	118 ft
	45 m	3,003 m	196.38		0 m	36 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IPAS	109.90 MHz	18 nm	9.91	-	3,162 ft
				33 km	16.46		3,162 m
02	GS	IPAS	109.90 MHz	10 nm	9.91	3.00	3,162 ft
				19 km	16.46		3,162 m