

# KCLE

Cleveland Hopkins Intl


# KMEM

Memphis Intl

2024/05/05 0344Z

KCLE KLYNE Q29 OMDUE KMEM

543.26 nm / 1006.11 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCLE APT	-	41.41030 -81.85340	0 ft 0 m	-	Cleveland Hopkins Intl
KLYNE FIX	-	40.69850 -83.31230	35,000 ft 10,668 m	78	-
CREEP FIX	Q29 AWY-HI	39.92090 -84.30870	35,000 ft 10,668 m	65	-
SIDAE FIX	Q29 AWY-HI	37.33330 -87.83330	35,000 ft 10,668 m	226	-
OMDUE FIX	Q29 AWY-HI	36.12980 -88.96990	24,500 ft 7,468 m	90	-
KMEM APT	-	35.04270 -89.97660	0 ft 0 m	81	Memphis Intl

## KCLE

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 791 ft / 241 m  
Location: 41.410300 -81.853400  
Magnetic Var: 8.386 W

## METAR

KCLE 050258Z 14007KT 10SM BKN020 BKN095 17/14 A2993 RMK A02 T01720144

## TAF

KCLE 050259Z 0503/0606 14010KT P6SM SCT025 BKN060 FM050600 15010KT 6SM BR BKN025 FM051100 17009KT 4SM BR BKN015 FM051800 15010KT 6SM BKN025

## Frequencies

REC - 127.85 MHz - ATIS	TWR - 120.90 MHz - CLEVELAND TOWER
GND - 121.70 MHz - CLEVELAND GROUND	APP - 124.00 MHz - CLEVELAND APPROACH
DEP - 118.15 MHz - CLEVELAND DEPARTURE	CLD - 125.05 MHz - CLEARANCE DELIVERY
COM - 122.95 MHz - UNICOM	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	6,023 ft	93.31	CONCRETE	0 ft	430 ft
	46 m	1,836 m	101.70		0 m	131 m
28	151 ft	6,023 ft	273.33	CONCRETE	0 ft	443 ft
	46 m	1,836 m	281.71		0 m	135 m
06L	151 ft	9,008 ft	49.83	CONCRETE	0 ft	394 ft
	46 m	2,746 m	58.22		0 m	120 m
24R	151 ft	9,008 ft	229.85	CONCRETE	0 ft	203 ft
	46 m	2,746 m	238.24		0 m	62 m
06R	151 ft	9,967 ft	49.84	CONCRETE	1,932 ft	387 ft
	46 m	3,038 m	58.23		589 m	118 m
24L	151 ft	9,967 ft	229.86	CONCRETE	0 ft	203 ft
	46 m	3,038 m	238.25		0 m	62 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	ILIZ	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
24L	DME	IHPI	109.90 MHz	18 nm	-	-	772 ft
				33 km	-		772 m
24R	DME	IPVY	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
06L	LOC-ILS	ILIZ	111.55 MHz	18 nm	49.85	-	791 ft
				33 km	58.24		791 m
06R	LOC-ILS	ICLE	111.90 MHz	18 nm	49.86	-	791 ft
				33 km	58.25		791 m
24L	LOC-ILS	IHPI	109.90 MHz	18 nm	229.86	-	791 ft
				33 km	238.25		791 m
24R	LOC-ILS	IPVY	111.55 MHz	18 nm	229.85	-	791 ft
				33 km	238.24		791 m
28	LOC-ILS	IPXP	110.70 MHz	18 nm	273.32	-	791 ft
				33 km	281.71		791 m
06L	GS	ILIZ	111.55 MHz	10 nm	49.85	3.00	791 ft
				19 km	58.24		791 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	GS	ICLE	111.90 MHz	10 nm	49.86	3.10	791 ft
				19 km	58.25		791 m
24L	GS	IHPI	109.90 MHz	10 nm	229.86	3.00	791 ft
				19 km	238.25		791 m
24R	GS	IPVY	111.55 MHz	10 nm	229.85	3.00	791 ft
				19 km	238.24		791 m
28	GS	IPXP	110.70 MHz	10 nm	273.32	3.00	791 ft
				19 km	281.71		791 m

## KMEM

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 4

Elevation: 340 ft / 104 m  
Location: 35.042700 -89.976600  
Magnetic Var: 1.978 W

## METAR

KMEM 050254Z 00000KT 10SM FEW250 22/17 A2998 RMK AO2 SLP149 T02170167 53013 \$

## TAF

KMEM 050254Z 0503/0606 VRB03KT P6SM SCT200 FM050800 VRB03KT 4SM BR SCT005 BKN250 FM051400 16006KT P6SM BKN035 FM051800 10008KT P6SM BKN035

## Frequencies

REC - 127.75 MHz - D-ATIS	COM - 122.95 MHz - MEMPHIS UNICOM
GND - 121.00 MHz - MEMPHIS GROUND	GND - 121.65 MHz - MEMPHIS GROUND
GND - 121.90 MHz - MEMPHIS GROUND	TWR - 118.30 MHz - MEMPHIS TOWER
TWR - 119.70 MHz - MEMPHIS TOWER	TWR - 128.42 MHz - MEMPHIS TOWER
CLD - 125.20 MHz - CLEARANCE DELIVERY	DEP - 124.15 MHz - MEMPHIS DEPARTURE
DEP - 124.65 MHz - MEMPHIS DEPARTURE	APP - 119.10 MHz - MEMPHIS APPROACH
APP - 125.80 MHz - MEMPHIS APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	150 ft	9,343 ft	179.00	CONCRETE	0 ft	404 ft
	46 m	2,848 m	180.97		0 m	123 m
36L	150 ft	9,343 ft	359.00	CONCRETE	0 ft	869 ft
	46 m	2,848 m	0.97		0 m	265 m
18C	150 ft	11,148 ft	179.01	CONCRETE	0 ft	404 ft
	46 m	3,398 m	180.99		0 m	123 m
36C	150 ft	11,148 ft	359.01	CONCRETE	0 ft	400 ft
	46 m	3,398 m	0.99		0 m	122 m
18L	150 ft	9,024 ft	179.01	CONCRETE	0 ft	400 ft
	46 m	2,750 m	180.99		0 m	122 m
36R	150 ft	9,024 ft	359.01	CONCRETE	0 ft	400 ft
	46 m	2,750 m	0.99		0 m	122 m
09	150 ft	8,931 ft	91.96	CONCRETE	0 ft	397 ft
	46 m	2,722 m	93.94		0 m	121 m
27	150 ft	8,931 ft	271.98	CONCRETE	0 ft	0 ft
	46 m	2,722 m	273.96		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18L	DME	IEXS	111.15 MHz	18 nm	-	-	341 ft
				33 km	-		341 m
36C	DME	ITSE	110.50 MHz	18 nm	-	-	341 ft
				33 km	-		341 m
36L	DME	IOHN	108.90 MHz	18 nm	-	-	341 ft
				33 km	-		341 m
36R	DME	IMYO	111.35 MHz	18 nm	-	-	341 ft
				33 km	-		341 m
09	LOC-ILS	IMEM	109.50 MHz	18 nm	91.97	-	341 ft
				33 km	93.95		341 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18C	LOC-ILS	ISDU	111.95 MHz	18 nm	179.01	-	341 ft
				33 km	180.99		341 m
18L	LOC-ILS	IEXS	111.15 MHz	18 nm	179.02	-	341 ft
				33 km	181.00		341 m
18R	LOC-ILS	IOOI	109.90 MHz	18 nm	178.99	-	341 ft
				33 km	180.97		341 m
27	LOC-ILS	IJIM	108.70 MHz	18 nm	271.97	-	341 ft
				33 km	273.95		341 m
36C	LOC-ILS	ITSE	110.50 MHz	18 nm	359.01	-	341 ft
				33 km	0.99		341 m
36L	LOC-ILS	IOHN	108.90 MHz	18 nm	358.99	-	341 ft
				33 km	0.97		341 m
36R	LOC-ILS	IMYO	111.35 MHz	18 nm	359.02	-	341 ft
				33 km	1.00		341 m
09	GS	IMEM	109.50 MHz	10 nm	91.97	3.00	341 ft
				19 km	93.95		341 m
18C	GS	ISDU	111.95 MHz	10 nm	179.01	3.00	341 ft
				19 km	180.99		341 m
18L	GS	IEXS	111.15 MHz	10 nm	179.02	3.00	341 ft
				19 km	181.00		341 m
18R	GS	IOOI	109.90 MHz	10 nm	178.99	3.00	341 ft
				19 km	180.97		341 m
27	GS	IJIM	108.70 MHz	10 nm	271.97	3.00	341 ft
				19 km	273.95		341 m
36C	GS	ITSE	110.50 MHz	10 nm	359.01	3.00	341 ft
				19 km	0.99		341 m
36L	GS	IOHN	108.90 MHz	10 nm	358.99	3.00	341 ft
				19 km	0.97		341 m
36R	GS	IMYO	111.35 MHz	10 nm	359.02	3.00	341 ft
				19 km	1.00		341 m