


2024/06/05 0636Z  
EBOS 5000N0500E ELLX  
160.44 nm / 297.14 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: no
- Use high airways: no



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBOS	-	51.19997	0 ft	-	Oostende
APT	-	2.87501	0 m		
5000N0500E	-	50.00000	11,100 ft	108	-
LATLON	-	5.00000	3,383 m		
ELLX	-	49.62660	0 ft	52	Luxembourg
APT	-	6.21151	0 m		

## EBOS

Region: BELGIUM  
Timezone: EUROPE/BRUSSELS  
Runways: 1

Elevation: 7 ft / 2 m  
Location: 51.199900 2.874960  
Magnetic Var: 1.498 E

## METAR

EBOS 050550Z 31010KT 9999 SCT025 12/07 Q1013 NOSIG

## TAF

TAF EBOS 050515Z 0506/0612 31012KT 9999 SCT020 BECMG 0520/0522 21008KT

## Frequencies

APP - 120.60 MHz - OOSTENDE APPROACH	APP - 127.32 MHz - OOSTENDE APPROACH
TWR - 118.17 MHz - OOSTENDE TOWER	TWR - 127.32 MHz - OOSTENDE TOWER
GND - 121.97 MHz - OOSTENDE GROUND	REC - 126.12 MHz - OOSTENDE INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	10,478 ft	76.49	ASPHALT	984 ft	0 ft
	45 m	3,194 m	74.99		300 m	0 m
26	148 ft	10,478 ft	256.52	ASPHALT	1,371 ft	0 ft
	45 m	3,194 m	255.03		418 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IMI	111.55 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
08	LOC-ILS	IMI	111.55 MHz	18 nm	76.51	-	7 ft
				33 km	75.01		7 m
26	LOC-ILS	IOS	109.50 MHz	18 nm	256.51	-	7 ft
				33 km	255.01		7 m
08	GS	IMI	111.55 MHz	10 nm	76.51	3.00	7 ft
				19 km	75.01		7 m
26	GS	IOS	109.50 MHz	10 nm	256.51	3.00	7 ft
				19 km	255.01		7 m

## ELLX

Region: LUXEMBOURG

Timezone: EUROPE/LUXEMBOURG

Runways: 1

Elevation: 1,234 ft / 376 m

Location: 49.626500 6.211590

Magnetic Var: 2.537 E

## METAR

ELLX 050550Z 27007KT 220V310 9999 SCT013 BKN043 13/11 Q1013 NOSIG

## TAF

TAF ELLX 050500Z 0506/0612 25009KT 9999 BKN015 TEMPO 0510/0517 27015G25KT 4500 SHRA SCT035TCU BECMG 0510/0513 SCT

## Frequencies

REC - 134.75 MHz - LUXEMBOURG ATIS

TWR - 118.10 MHz - LUXEMBOURG TOWER

APP - 118.90 MHz - LUXEMBOURG APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	13,140 ft	60.19	ASPHALT	0 ft	0 ft
	60 m	4,005 m	57.65		0 m	0 m
24	197 ft	13,140 ft	240.22	ASPHALT	0 ft	171 ft
	60 m	4,005 m	237.69		0 m	52 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ILE	109.90 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
24	DME	ILW	110.70 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
06	LOC-ILS	ILE	109.90 MHz	18 nm	60.17	-	1,233 ft
				33 km	57.63		1,233 m
24	LOC-ILS	ILW	110.70 MHz	18 nm	240.17	-	1,233 ft
				33 km	237.63		1,233 m
06	GS	ILE	109.90 MHz	10 nm	60.17	3.00	1,233 ft
				19 km	57.63		1,233 m
24	GS	ILW	110.70 MHz	10 nm	240.17	3.00	1,233 ft
				19 km	237.63		1,233 m