


2024/06/04 0246Z

LPPT XAMAX A5 PRT **UP600** TURON A5 STG **UP600** BEGAS T9 LASNO **UP600** CRK EINN

847.79 nm / 1570.11 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 480kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPPT	-	38.77856	0 ft	-	Lisboa
APT	-	-9.13515	0 m		
XAMAX	-	40.03111	27,600 ft	80	-
FIX	-	-8.53611	8,412 m		
MANIK	A5	40.69194	34,000 ft	39	-
FIX	AWY-LO	-8.61611	10,363 m		
PRT	A5	41.27300	34,000 ft	35	PORTO VOR-DME
VOR	AWY-LO	-8.68783	10,363 m		
TURON	UP600	42.06792	35,000 ft	48	-
FIX	AWY-HI	-8.56342	10,668 m		
STG	A5	42.92687	35,000 ft	51	SANTIAGO VOR-DME
VOR	AWY-LO	-8.42539	10,668 m		
BEGAS	UP600	45.00000	34,000 ft	126	-
FIX	AWY-HI	-9.00000	10,363 m		
LASNO	T9	48.59833	35,000 ft	216	-
FIX	AWY-HI	-9.00000	10,668 m		
KUKAD	UP600	49.24204	35,000 ft	38	-
FIX	AWY-HI	-8.90495	10,668 m		
BODNO	UP600	49.46222	35,000 ft	13	-
FIX	AWY-HI	-8.87187	10,668 m		
GARTI	UP600	50.21453	31,500 ft	45	-
FIX	AWY-HI	-8.75655	9,601 m		
CRK	UP600	51.84061	11,500 ft	98	CORK VOR-DME
VOR	AWY-HI	-8.49427	3,505 m		
EINN	-	52.70048	0 ft	53	Shannon
APT	-	-8.91683	0 m		

LPPT

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 2

Elevation: 374 ft / 114 m
Location: 38.778800 -9.135190
Magnetic Var: 1.561 W

METAR

LPPT 040230Z 31005KT CAVOK 19/09 Q1014

TAF

TAF TAF LPPT 032300Z 0400/0506 VRB02KT CAVOK BECMG 0409/0411 23010KT BECMG 0411/0413 31010KT BECMG 0422/0424 2900

Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.21		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.22		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.70		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.70		59 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.22		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.15		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.22		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.98		423 m

EINN

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 1

Elevation: 44 ft / 13 m
Location: 52.702000 -8.924830
Magnetic Var: 2.884 W

METAR

EINN 040230Z 25011KT 5000 -DZ FEW004 BKN006 13/12 Q1015 TEMPO BKN015

TAF

TAF EINN 032300Z 0400/0424 26009KT 9999 SCT010 BKN015 TEMPO 0400/0409 -DZ BKN008 PROB30 TEMPO 0400/0403 3000 BR BKN008

Frequencies

REC - 130.95 MHz - SHANNON INFORMATION
TWR - 118.70 MHz - SHANNON TOWER
APP - 120.20 MHz - SHANNON APPROACH
GND - 121.80 MHz - SHANNON GROUND
APP - 121.40 MHz - SHANNON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,494 ft	52.17	ASPHALT	0 ft	0 ft
	45 m	3,199 m	55.05		0 m	0 m
24	148 ft	10,494 ft	232.19	ASPHALT	459 ft	95 ft
	45 m	3,199 m	235.08		140 m	29 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ISE	109.50 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
06	LOC-ILS	ISE	109.50 MHz	18 nm	52.19	-	21 ft
				33 km	55.07		21 m
24	LOC-ILS	ISW	109.50 MHz	18 nm	232.16	-	51 ft
				33 km	235.04		51 m
06	GS	ISE	109.50 MHz	10 nm	52.34	3.00	57 ft
				19 km	55.22		57 m
24	GS	ISW	109.50 MHz	10 nm	232.34	3.00	70 ft
				19 km	235.22		70 m