


2024/04/28 0427Z

YBBN WOODY **G326** ROM **T11** AS YBAS

1065.34 nm / 1973.01 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YBBN	-	-27.37571	0 ft	-	Brisbane Intl
APT	-	153.12771	0 m		
WOODY	-	-27.23806	14,000 ft	39	-
FIX	-	152.40472	4,267 m		
ROM	G326	-26.54306	34,000 ft	198	ROMA NDB
NDB	AWY-LO	148.78167	10,363 m		
VILOL	T11	-25.96417	34,000 ft	219	-
FIX	AWY-LO	144.76417	10,363 m		
NONET	T11	-25.34028	34,000 ft	199	-
FIX	AWY-LO	141.14806	10,363 m		
MITTS	T11	-24.65000	34,000 ft	193	-
FIX	AWY-LO	137.67194	10,363 m		
PULOL	T11	-24.45444	34,000 ft	51	-
FIX	AWY-LO	136.76222	10,363 m		
AS	T11	-23.79289	200 ft	162	ALICE SPRINGS VOR-DME
VOR	AWY-LO	133.87820	61 m		
YBAS	-	-23.80445	0 ft	1	Alice Springs
APT	-	133.89522	0 m		

## YBBN

Region: AUSTRALIA  
Timezone: AUSTRALIA/BRISBANE  
Runways: 2

Elevation: 15 ft / 5 m  
Location: -27.375800 153.128000  
Magnetic Var: 11.016 E

## METAR

YBBN 280400Z 13007KT 9999 -SHRA SCT030 BKN055 22/18 Q1023 RF00/0/000/2

## TAF

TAF YBBN 280202Z 2803/2906 11012KT 9999 -SHRA SCT030 FM280900 20006KT 9999 -SHRA SCT025 FM290100 10010KT 9999 -SHRA

## Frequencies

REC - 125.50 MHz - ATIS	REC - 113.20 MHz - ATIS
CLD - 118.85 MHz - BRISBANE CLEARANCE	GND - 121.70 MHz - BRISBANE GROUND
TWR - 118.00 MHz - BRISBANE TOWER	TWR - 120.50 MHz - BRISBANE TOWER
APP - 124.70 MHz - BRISBANE NORTH APPROACH	APP - 125.60 MHz - BRISBANE SOUTH APPROACH
APP - 119.25 MHz - BRISBANE FINALS APPROACH	DEP - 118.45 MHz - BRISBANE DEPARTURE
DEP - 133.45 MHz - BRISBANE DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	148 ft	11,744 ft	26.93	ASPHALT	213 ft	0 ft
	45 m	3,580 m	15.92		65 m	0 m
19	148 ft	11,744 ft	206.92	ASPHALT	0 ft	0 ft
	45 m	3,580 m	195.91		0 m	0 m
14	98 ft	5,787 ft	145.66	ASPHALT	197 ft	0 ft
	30 m	1,764 m	134.65		60 m	0 m
32	98 ft	5,787 ft	325.66	ASPHALT	197 ft	0 ft
	30 m	1,764 m	314.64		60 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IBA	109.50 MHz	18 nm	26.93	-	15 ft
				33 km	15.91		15 m
19	LOC-ILS	IBS	110.10 MHz	18 nm	206.93	-	15 ft
				33 km	195.91		15 m
01	GS	IBA	109.50 MHz	10 nm	26.93	3.00	15 ft
				19 km	15.91		15 m
19	GS	IBS	110.10 MHz	10 nm	206.93	3.00	15 ft
				19 km	195.91		15 m

## YBAS

Region: AUSTRALIA  
Timezone: AUSTRALIA/DARWIN  
Runways: 2

Elevation: 1,789 ft / 545 m  
Location: -23.804500 133.895000  
Magnetic Var: 4.242 E

## METAR

YBAS 280400Z AUTO 10008KT 9999 // NCD 23/01 Q1020 RF00.0/000.0

## TAF

TAF YBAS 272321Z 2800/2900 13010KT CAVOK FM280900 13006KT CAVOK FM281400 29005KT CAVOK

## Frequencies

COM - 118.30 MHz - ALICE SPRINGS MULT  
TWR - 119.80 MHz - MELBOURNE CNTR

TWR - 118.30 MHz - ALICE SPRINGS TWR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,006 ft	120.40	ASPHALT	0 ft	0 ft
	45 m	2,440 m	116.16		0 m	0 m
30	148 ft	8,006 ft	300.39	ASPHALT	0 ft	0 ft
	45 m	2,440 m	296.15		0 m	0 m
17	59 ft	3,721 ft	178.24	CONCRETE	0 ft	0 ft
	18 m	1,134 m	173.99		0 m	0 m
35	59 ft	3,721 ft	358.24	CONCRETE	0 ft	0 ft
	18 m	1,134 m	353.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IAS	109.90 MHz	18 nm	120.40	-	1,789 ft
				33 km	116.16		1,789 m
12	GS	IAS	109.90 MHz	10 nm	120.40	3.00	1,789 ft
				19 km	116.16		1,789 m