


2024/04/28 0422Z

VIDP IGINO **A466** ASARI **W30** AAR VIJU

290.15 nm / 537.36 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 300kts
- Descent Rate: 1000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIDP	-	28.56650	0 ft	-	INDIRA GANDHI INTL
APT	-	77.10309	0 m		
IGINO	-	29.01822	14,400 ft	40	-
FIX	-	76.53539	4,389 m		
ELKUX	A466	29.84158	34,000 ft	72	-
FIX	AWY-HI	75.51145	10,363 m		
ASARI	A466	30.80425	24,900 ft	60	-
FIX	AWY-HI	75.15871	7,590 m		
AAR	W30	31.70694	12,600 ft	57	AMRITSAR VOR-DME
VOR	AWY-HI	74.80083	3,840 m		
VIJU	-	32.68914	0 ft	59	JAMMU
APT	-	74.83739	0 m		

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.599 E

METAR

VIDP 280400Z 00000KT 3000 HZ SCT100 31/10 Q1010 NOSIG

TAF

VIDP 272300Z 2800/2906 34005KT 2000 HZ SCT100 BECMG 2804/2806 3500 HZ BECMG 2808/2810 27008KT 5000 HZ FEW035 SCT100

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH

GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.10		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.12		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.11		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.86		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m

VIJU

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 1,029 ft / 314 m
Location: 32.689100 74.837400
Magnetic Var: 2.616 E

METAR

UNKNOWN

TAF

TAF VIJU 270930Z 2718/2812 05007KT 6000 SCT025 BKN090 TEMPO 2802/2806 5000 RABR SCT025 FEW030CB BKN090

Frequencies

TWR - 123.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	150 ft	6,749 ft	177.07	ASPHALT	200 ft	0 ft
	46 m	2,057 m	174.46		61 m	0 m
35	150 ft	6,749 ft	357.07	ASPHALT	687 ft	0 ft
	46 m	2,057 m	354.46		209 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	DME	JMU	110.10 MHz	18 nm	-	-	1,029 ft
				33 km	-		1,029 m
35	LOC-ILS	JMU	110.10 MHz	18 nm	358.61	-	1,029 ft
				33 km	355.99		1,029 m
35	GS	JMU	110.10 MHz	10 nm	357.15	3.00	1,029 ft
				19 km	354.53		1,029 m