

# FAJS

Johannesburg OR Thambo Intl


# FALE

DURBAN - KING SHAKA INTERNATIONAL

2024/05/17 0051Z

FAJS EPSAK **UZ29** GYV FALE

258.92 nm / 479.51 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FAJS APT	- -	-26.13854 28.24653	0 ft 0 m	-	Johannesburg OR Thambo Intl
EPSAK FIX	- -	-27.19861 29.16153	27,700 ft 8,443 m	80 -	
BEBAS FIX	UZ29 AWY-HI	-27.82180 29.61519	27,700 ft 8,443 m	44 -	
GYV VOR	UZ29 AWY-HI	-29.12354 30.58617	8,600 ft 2,621 m	93	GREYTOWN VOR
FALE APT	- -	-29.61177 31.11931	0 ft 0 m	40	DURBAN - KING SHAKA INTERNATIONAL

## FALE

Region: SOUTH AFRICA

Timezone: AFRICA/JOHANNESBURG

Runways: 1

Elevation: 304 ft / 93 m

Location: -29.611800 31.119300

Magnetic Var: 26.256 W

## METAR

FALE 170000Z VRB02KT CAVOK 16/14 Q1016 NOSIG

## TAF

TAF FALE 162200Z 1700/1806 VRB03KT CAVOK TX27/1712Z TN17/1703Z BECMG 1702/1704 20015KT BECMG 1710/1712 SCT020 BKN

## Frequencies

REC - 127.00 MHz - ATIS

TWR - 118.45 MHz - SHAKA TWR

GND - 121.65 MHz - SHAKA GND

APP - 125.75 MHz - DURBAN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	12,161 ft	37.14	ASPHALT	0 ft	0 ft
	61 m	3,707 m	63.39		0 m	0 m
24	200 ft	12,161 ft	217.13	ASPHALT	0 ft	0 ft
	61 m	3,707 m	243.38		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	TNI	111.30 MHz	18 nm	37.14	-	304 ft
				33 km	63.40		304 m
24	LOC-ILS	TGI	109.70 MHz	18 nm	217.14	-	304 ft
				33 km	243.40		304 m
06	GS	TNI	111.30 MHz	10 nm	37.14	3.00	304 ft
				19 km	63.40		304 m
24	GS	TGI	109.70 MHz	10 nm	217.14	3.00	304 ft
				19 km	243.40		304 m