


2024/05/23 1140Z

SLLP DOBNI SPRF

191.13 nm / 353.97 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SLLP	-	-16.51330	0 ft	-	El Alto Intl
APT	-	-68.19230	0 m		
DOBNI	-	-15.71860	23,000 ft	83	-
FIX	-	-69.38170	7,010 m		
SPRF	-	-14.26670	0 ft	107	San Rafael
APT	-	-70.46670	0 m		

## SLLP

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 1

Elevation: 13,314 ft / 4,058 m  
Location: -16.513300 -68.192300  
Magnetic Var: 9.180 W

## METAR

SLLP 231100Z 01004KT 9999 NSC 03/M09 Q1039

## TAF

TAF SLLP 230400Z 2306/2406 VRB02KT 9999 FEW013 TX16/2319Z TNM03/2310Z BECMG 2313/2315 26010KT TEMPO 2317/2321 310

## Frequencies

GND - 121.90 MHz - LA PAZ GROUND  
APP - 119.50 MHz - LA PAZ APPROACH

TWR - 118.30 MHz - LA PAZ TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	13,108 ft	91.90	CONCRETE	0 ft	108 ft
	46 m	3,995 m	101.08		0 m	33 m
28	151 ft	13,108 ft	271.88	CONCRETE	0 ft	125 ft
	46 m	3,995 m	281.06		0 m	38 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	ILPA	110.30 MHz	18 nm	91.89	-	13,313 ft
				33 km	101.07		13,313 m
10	GS	ILPA	110.30 MHz	10 nm	92.79	2.40	13,313 ft
				19 km	101.97		13,313 m