

LFPG

Paris Charles De Gaulle


LGAV

Athens Eleftherios Venizelos

2024/05/07 2201Z

LFPG MELKO **UM606** MANAG **UM139** LUL **G4** HR **W110** WIL BERSU **Z55** GERSA **Z50** RESIA **N1** VIE **L612** BRD **L995**
TIGRA **UL995** KRK **L995** VARDI LGAV

1155.25 nm / 2139.53 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56257	0 ft 0 m	-	Paris Charles De Gaulle
MELKO FIX	-	48.27810 4.67361	33,700 ft 10,272 m	94	-
MANAG FIX	UM606 AWY-HI	48.10310 5.16583	35,000 ft 10,668 m	22	-
MOTUK FIX	UM139 AWY-HI	47.86500 5.82028	35,000 ft 10,668 m	29	-
LUL VOR	UM139 AWY-HI	47.68830 6.29558	35,000 ft 10,668 m	21	LUXEUIL
HR NDB	G4 AWY-LO	47.56170 6.73225	35,000 ft 10,668 m	19	HERICOURT
HR12 FIX	W110 AWY-LO	47.46970 6.99444	35,000 ft 10,668 m	11	-
LUMEL FIX	W110 AWY-LO	47.40720 7.15389	35,000 ft 10,668 m	7	-
LEPLA FIX	W110 AWY-LO	47.34340 7.36611	35,000 ft 10,668 m	9	-
WIL VOR	W110 AWY-LO	47.17830 7.90592	35,000 ft 10,668 m	24	WILLISAU
BERSU FIX	-	47.13550 7.94131	35,000 ft 10,668 m	2	-
URIGI FIX	Z55 AWY-HI	47.05890 8.41361	35,000 ft 10,668 m	19	-
GERSA FIX	Z55 AWY-HI	47.03940 8.53211	35,000 ft 10,668 m	4	-
KELIP FIX	Z50 AWY-HI	46.95620 8.76167	35,000 ft 10,668 m	10	-
SOPER FIX	Z50 AWY-HI	46.88940 8.94444	35,000 ft 10,668 m	8	-
PELAD FIX	Z50 AWY-HI	46.59890 9.72583	35,000 ft 10,668 m	36	-
RESIA FIX	Z50 AWY-HI	46.47830 10.04330	35,000 ft 10,668 m	14	-
BELOV FIX	N1 AWY-HI	44.54250 12.71330	35,000 ft 10,668 m	161	-
BEDEG FIX	N1 AWY-HI	43.27720 14.36970	35,000 ft 10,668 m	104	-
VIE VOR	N1 AWY-HI	41.91280 16.04920	35,000 ft 10,668 m	110	VIESTE
PISIP FIX	L612 AWY-HI	41.53030 16.63640	35,000 ft 10,668 m	34	-
UVOKA FIX	L612 AWY-HI	41.37970 16.86360	35,000 ft 10,668 m	13	-
PIKEL FIX	L612 AWY-HI	41.18420 17.15830	35,000 ft 10,668 m	17	-
DOLON FIX	L612 AWY-HI	40.88920 17.59440	35,000 ft 10,668 m	26	-
BRD VOR	L612 AWY-HI	40.61090 18.00290	35,000 ft 10,668 m	24	BRINDISI
ORSOM FIX	L995 AWY-HI	40.36580 18.44670	35,000 ft 10,668 m	25	-
TIGRA	L995	40.05670	35,000 ft	31	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	19.00000	10,668 m		
KRK	UL995	39.44390	35,000 ft	61	KERKIRA
VOR	AWY-HI	20.07280	10,668 m		
LATSO	L995	39.32000	35,000 ft	16	-
FIX	AWY-LO	20.38190	10,668 m		
VARDI	L995	38.67190	22,200 ft	82	-
FIX	AWY-LO	21.95110	6,767 m		
LGAV	-	37.93670	0 ft	103	Athens Eleftherios Venizelos
APT	-	23.94450	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.494 E

METAR

LFPG 072130Z 35010KT 8000 NSC 13/11 Q1024 NOSIG

TAF

TAF LFPG 071700Z 0718/0824 36015G25KT CAVOK TX19/0815Z TN09/0805Z PROB40 TEMPO 0803/0808 BKN005 PROB30 TEMPO 0804/0809

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m

LGAV

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 308 ft / 94 m
Location: 37.936700 23.944500
Magnetic Var: 5.106 E

METAR

LGAV 072120Z 26002KT CAVOK 18/09 Q1016 NOSIG

TAF

TAF TAF LGAV 071700Z 0718/0818 VRB05KT 9999 FEW025 BECMG 0808/0810 14010KT

Frequencies

REC - 136.12 MHz - ATIS	REC - 131.17 MHz - ATHENS INFORMATION
REC - 124.02 MHz - ATHENS INFORMATION	TWR - 136.27 MHz - VENIZELOS TOWER
TWR - 122.10 MHz - VENIZELOS TOWER	TWR - 118.62 MHz - VENIZELOS TOWER
GND - 121.75 MHz - VENIZELOS GROUND	GND - 121.95 MHz - VENIZELOS GROUND
GND - 121.90 MHz - VENIZELOS GROUND	GND - 121.80 MHz - VENIZELOS GROUND
CLD - 118.67 MHz - CLEARANCE DELIVERY	APP - 132.97 MHz - ATHENS APPROACH
APP - 130.25 MHz - ATHENS APPROACH	APP - 128.95 MHz - ATHENS APPROACH
APP - 126.57 MHz - ATHENS APPROACH	APP - 125.52 MHz - ATHENS APPROACH
APP - 121.40 MHz - ATHENS APPROACH	APP - 121.40 MHz - ATHENS DIRECT
APP - 118.47 MHz - ATHENS DIRECT	DEP - 118.30 MHz - ATHENS DEPARTURE
DEP - 128.95 MHz - ATHENS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	151 ft	13,135 ft	36.87	ASPHALT	984 ft	394 ft
	46 m	4,004 m	31.77		300 m	120 m
21L	151 ft	13,135 ft	216.89	ASPHALT	984 ft	394 ft
	46 m	4,004 m	211.78		300 m	120 m
03L	151 ft	12,478 ft	36.86	ASPHALT	984 ft	394 ft
	46 m	3,803 m	31.75		300 m	120 m
21R	151 ft	12,478 ft	216.87	ASPHALT	984 ft	394 ft
	46 m	3,803 m	211.77		300 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IATL	110.50 MHz	18 nm	-	-	255 ft
				33 km	-		255 m
21L	DME	IEVL	111.10 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
21R	DME	IEVR	110.50 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
03L	LOC-ILS	IATL	110.50 MHz	18 nm	36.52	-	282 ft
				33 km	31.42		282 m
03R	LOC-ILS	IATR	111.10 MHz	18 nm	36.97	-	302 ft
				33 km	31.87		302 m
21L	LOC-ILS	IEVL	111.10 MHz	18 nm	216.52	-	271 ft
				33 km	211.41		271 m
21R	LOC-ILS	IEVR	110.50 MHz	18 nm	216.50	-	255 ft
				33 km	211.40		255 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	GS	IATL	110.50 MHz	10 nm	37.04	3.00	255 ft
				19 km	31.93		255 m
03R	GS	IATR	111.10 MHz	10 nm	37.07	3.00	271 ft
				19 km	31.96		271 m
21L	GS	IEVL	111.10 MHz	10 nm	217.07	3.00	302 ft
				19 km	211.96		302 m
21R	GS	IEVR	110.50 MHz	10 nm	217.04	3.00	282 ft
				19 km	211.93		282 m