

# SKSP

Gustavo Rojas Pinilla Intl


# SKBO

El Dorado Intl

2024/05/07 0644Z

SKSP SPP **UG447** RNG **UQ121** ISVAT SKBO

653.84 nm / 1210.91 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKSP APT	-	12.58370 -81.71110	0 ft 0 m	-	Gustavo Rojas Pinilla Intl
SPP DME	-	12.58250 -81.70500	100 ft 30 m	0	SAN ANDRES VOR-DME
SEKMA FIX	UG447 AWY-HI	10.41960 -79.84060	35,000 ft 10,668 m	170	-
PML VOR	UG447 AWY-HI	8.40622 -78.13860	35,000 ft 10,668 m	157	LA PALMA
ARORO FIX	UG447 AWY-HI	7.73472 -77.39140	35,000 ft 10,668 m	60	-
RNG VOR	UG447 AWY-HI	5.98056 -75.41830	23,100 ft 7,041 m	157	RIONEGRO (MEDELLIN)
ISVAT FIX	UQ121 AWY-HI	5.69472 -75.12500	17,900 ft 5,456 m	24	-
SKBO APT	-	4.70160 -74.14700	0 ft 0 m	83	El Dorado Intl

```
Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 2
```

Elevation: 8,358 ft / 2,548 m  
Location: 4.701600 -74.147000  
Magnetic Var: 8.191 W

SKBO 070600Z 04005KT 010V090 9999 BKN036 15/13 01026 NOSIG

TAF SKBO 070430Z 0706/0806 VRB02KT 9999 SCT020 BECMG 0716/0718 14010KT PROB40 TEMPO 0720/0723 DZ SCT017TCU BECMG 0

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m