

GQNN

Nouakchott Intl.


GOOY

Dakar - Leopold Sedar Senghor Intl

2024/05/15 1954Z

GQNN KETAS **UB601** BIKIS GOOY

220.38 nm / 408.14 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 120ft
- Cruise Speed: 340kts
- Descent Rate: 1500ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GQNN APT	-	18.09770 -15.94800	0 ft 0 m	-	Nouakchott Intl.
KETAS FIX	-	18.09160 -15.94830	0 ft 0 m	0	-
BIKIS FIX	UB601 AWY-HI	16.27810 -16.78250	100 ft 30 m	118	-
GOOY APT	-	14.74010 -17.49040	0 ft 0 m	101	Dakar - Leopold Sedar Senghor Intl

GQNN

Region: MAURITANIA
Timezone: AFRICA/NOUAKCHOTT
Runways: 1

Elevation: 5 ft / 2 m
Location: 18.097700 -15.948000
Magnetic Var: 5.353 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,903 ft	37.89	ASPHALT	0 ft	328 ft
	45 m	3,018 m	43.24		0 m	100 m
22	148 ft	9,903 ft	217.89	ASPHALT	0 ft	328 ft
	45 m	3,018 m	223.24		0 m	100 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	NK	109.50 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
04	LOC-ILS	NK	109.50 MHz	18 nm	37.89	-	5 ft
				33 km	43.24		5 m
04	GS	NK	109.50 MHz	10 nm	37.89	3.00	5 ft
				19 km	43.24		5 m

GOOY

Region: SENEGAL
Timezone: AFRICA/DAKAR
Runways: 2

Elevation: 84 ft / 26 m
Location: 14.740100 -17.490400
Magnetic Var: 6.623 W

METAR

GOOY 151900Z 28008KT 9999 FEW013 24/20 Q1011

TAF

TAF GOOY 151700Z 1518/1624 32010KT 9999 SCT010 PROB40 TEMPO 1601/1607 4000 BR BKN008

Frequencies

TWR - 118.10 MHz - DAKAR TWR
APP - 120.50 MHz - DAKAR CON

REC - 121.30 MHz - DAKAR ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	11,483 ft	172.61	ASPHALT	525 ft	220 ft
	45 m	3,500 m	179.23		160 m	67 m
36	148 ft	11,483 ft	352.61	ASPHALT	0 ft	213 ft
	45 m	3,500 m	359.23		0 m	65 m
03	98 ft	4,916 ft	22.33	ASPHALT	0 ft	98 ft
	30 m	1,498 m	28.95		0 m	30 m
21	98 ft	4,916 ft	202.33	ASPHALT	0 ft	1,591 ft
	30 m	1,498 m	208.95		0 m	485 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	YF	110.30 MHz	18 nm	-	-	73 ft
				33 km	-		73 m
36	LOC-ILS	YF	110.30 MHz	18 nm	352.33	-	65 ft
				33 km	358.95		65 m
36	GS	YF	110.30 MHz	10 nm	353.14	3.01	73 ft
				19 km	359.77		73 m