


2024/06/07 0621Z

URMM ULNAS URSS

143.87 nm / 266.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URMM	-	44.22680	0 ft	-	Mineralnyye Vody Intl
APT	-	43.08300	0 m		
ULNAS	-	43.91670	16,200 ft	68	-
FIX	-	41.56440	4,938 m		
URSS	-	43.44470	0 ft	75	Sochi / Adler Intl
APT	-	39.94710	0 m		

URMM

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 1,046 ft / 319 m
Location: 44.226800 43.083000
Magnetic Var: 7.952 E

METAR

URMM 070600Z 28006MPS 9999 BKN070 25/15 Q1016 R29/090070 NOSIG RMK QFE733/0978

TAF

TAF URMM 070500Z 0706/0806 28007G14MPS 9999 BKN030 TX29/0712Z TN17/0802Z TEMPO 0706/0709 30010G17MPS TEMPO 0709/0806 28007G14MPS 9999 BKN030 TX29/0712Z TN17/0802Z TEMPO 0706/0709 30010G17MPS TEMPO 0709/0806 28007G14MPS 9999 BKN030 TX29/0712Z TN17/0802Z

Frequencies

REC - 125.25 MHz - ATIS
GND - 121.90 MHz - MINERALNYYE VODY GROUND
TWR - 128.00 MHz - MINERALNYYE VODY TOWER
APP - 119.30 MHz - MINERLANYYE VODY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	197 ft	12,813 ft	122.26	CONCRETE	0 ft	0 ft
	60 m	3,905 m	114.30		0 m	0 m
30	197 ft	12,813 ft	302.29	CONCRETE	0 ft	0 ft
	60 m	3,905 m	294.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IMD	111.70 MHz	18 nm	122.27	-	1,046 ft
				33 km	114.32		1,046 m
30	LOC-ILS	IMW	109.30 MHz	18 nm	302.27	-	1,046 ft
				33 km	294.32		1,046 m
12	GS	IMD	111.70 MHz	10 nm	122.27	3.00	1,046 ft
				19 km	114.32		1,046 m
30	GS	IMW	109.30 MHz	10 nm	302.27	3.00	1,046 ft
				19 km	294.32		1,046 m

URSS

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 90 ft / 27 m
Location: 43.444600 39.947100
Magnetic Var: 7.549 E

METAR

URSS 070600Z 15001MPS 9999 OVC043 24/18 Q1016 R02/010070 R06/010070 NOSIG RMK R06/14002MPS MT OBSC QFE761

TAF

TAF URSS 070455Z 0706/0806 18004G09MPS 9999 SCT010 BKN040 OVC100 BECMG 0708/0709 25004G09MPS SCT016 SCT040 BECMG

Frequencies

REC - 129.37 MHz - ATIS	CLD - 132.70 MHz - SOCHI DELIVERY
GND - 119.00 MHz - SOCHI GROUND	GND - 118.50 MHz - SOCHI GROUND
TWR - 135.80 MHz - SOCHI TOWER	TWR - 121.20 MHz - SOCHI TOWER
APP - 124.60 MHz - SOCHI APPROACH	APP - 119.70 MHz - SOCHI RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,662 ft	64.77	CONCRETE	0 ft	243 ft
	45 m	2,945 m	57.22		0 m	74 m
24	148 ft	9,662 ft	244.79	CONCRETE	0 ft	0 ft
	45 m	2,945 m	237.25		0 m	0 m
02	161 ft	8,208 ft	28.61	CONCRETE	0 ft	164 ft
	49 m	2,502 m	21.06		0 m	50 m
20	161 ft	8,208 ft	208.62	CONCRETE	0 ft	164 ft
	49 m	2,502 m	201.07		0 m	50 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IAD	110.50 MHz	18 nm	28.62	-	83 ft
				33 km	21.07		83 m
06	LOC-ILS	ISO	111.10 MHz	18 nm	64.76	-	83 ft
				33 km	57.21		83 m
02	GS	IAD	110.50 MHz	10 nm	28.62	2.83	83 ft
				19 km	21.07		83 m
06	GS	ISO	111.10 MHz	10 nm	64.76	2.83	83 ft
				19 km	57.21		83 m