


2024/05/06 1434Z

LICR TADIX **UM621** AMANO **UM601** QUENN **UM622** SUKUN LFKJ

408.51 nm / 756.56 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 450kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LICR	-	38.07257	0 ft	-	Reggio Calabria
APT	-	15.64932	0 m	-	
TADIX	-	38.83028	26,000 ft	75	-
FIX	-	14.36111	7,925 m	-	-
AMANO	UM621	39.42167	34,000 ft	44	-
FIX	AWY-HI	13.79667	10,363 m	-	-
DORAS	UM601	39.59889	34,000 ft	35	-
FIX	AWY-HI	13.06000	10,363 m	-	-
CORAD	UM601	39.75694	34,000 ft	32	-
FIX	AWY-HI	12.38528	10,363 m	-	-
RONAB	UM601	39.86972	34,000 ft	23	-
FIX	AWY-HI	11.89111	10,363 m	-	-
VELEX	UM601	39.96639	34,000 ft	20	-
FIX	AWY-HI	11.45889	10,363 m	-	-
QUENN	UM601	40.16500	28,200 ft	43	-
FIX	AWY-HI	10.54361	8,595 m	-	-
SUKUN	UM622	40.75056	18,500 ft	45	-
FIX	AWY-HI	9.91111	5,639 m	-	-
LFKJ	-	41.92289	0 ft	86	Napoleon Bonaparte
APT	-	8.79959	0 m	-	

LICR

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 96 ft / 29 m
Location: 38.072800 15.649300
Magnetic Var: 3.966 E

METAR

LICR 061350Z AUTO 21011KT 9999 NCD 20/15 Q1016

TAF

TAF LICR 061100Z 0612/0712 19013KT 9999 FEW030

Frequencies

TWR - 118.25 MHz - REGGIO TOWER

APP - 120.27 MHz - REGGIO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	6,561 ft	152.90	ASPHALT	820 ft	0 ft
	45 m	2,000 m	148.93		250 m	0 m
33	148 ft	6,561 ft	332.90	ASPHALT	164 ft	0 ft
	45 m	2,000 m	328.94		50 m	0 m
11	148 ft	5,579 ft	112.65	ASPHALT	0 ft	0 ft
	45 m	1,701 m	108.68		0 m	0 m
29	148 ft	5,579 ft	292.66	ASPHALT	0 ft	0 ft
	45 m	1,701 m	288.69		0 m	0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	LOC-LOC	REG	109.30 MHz	18 nm	19.16	-	95 ft
				33 km	15.20		95 m

LFKJ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 19 ft / 6 m
Location: 41.921700 8.801090
Magnetic Var: 3.013 E

METAR

LFKJ 061400Z AUTO 20008KT 170V230 CAVOK 23/15 Q1012 NOSIG

TAF

TAF LFKJ 060800Z 0609/0709 23010KT CAVOK BECMG 0619/0621 VRB04KT PROB30 TEMPO 0700/0704 FEW090TCU TEMPO 0705/0709

Frequencies

REC - 126.92 MHz - LFKJ ATIS
TWR - 118.07 MHz - AJACCIO TWR

GND - 121.70 MHz - AJACCIO GND
APP - 121.05 MHz - AJACCIO APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	7,904 ft	24.84	CONCRETE	0 ft	161 ft
	45 m	2,409 m	21.83		0 m	49 m
20	148 ft	7,904 ft	204.85	CONCRETE	741 ft	230 ft
	45 m	2,409 m	201.84		226 m	70 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	AC	110.30 MHz	27 nm	-	-	18 ft
				50 km	-		18 m
02	LOC-ILS	AC	110.30 MHz	18 nm	24.85	-	19 ft
				33 km	21.84		19 m
02	GS	AC	110.30 MHz	10 nm	24.85	3.00	19 ft
				19 km	21.84		19 m