


2024/06/17 1023Z

SESA ATENO **UT17** LOLEX SEST

524.13 nm / 970.70 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SESA	-	-2.20634	0 ft	-	GENERAL ULPIANO PAEZ
APT	-	-80.98620	0 m	-	
ATENO	-	-2.05139	19,200 ft	53	-
FIX	-	-81.86940	5,852 m	-	-
TINLO	UT17	-1.74944	35,000 ft	136	-
FIX	AWY-HI	-84.12170	10,668 m	-	-
SUDKO	UT17	-1.61222	35,000 ft	61	-
FIX	AWY-HI	-85.14310	10,668 m	-	-
VAPOG	UT17	-1.44361	35,000 ft	76	-
FIX	AWY-HI	-86.40080	10,668 m	-	-
LOLEX	UT17	-1.24500	22,700 ft	89	-
FIX	AWY-HI	-87.88190	6,919 m	-	-
SEST	-	-0.91014	0 ft	106	San Cristobal
APT	-	-89.61750	0 m	-	

SESA

Region: EQUADOR
Timezone: AMERICA/GUAYAQUIL
Runways: 2

Elevation: 18 ft / 5 m
Location: -2.206340 -80.986200
Magnetic Var: 2.428 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 122.40 MHz - SALINAS TWR

APP - 124.10 MHz - SALINAS APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	98 ft	8,010 ft	129.60	ASPHALT	0 ft	1,100 ft
	30 m	2,441 m	132.03		0 m	335 m
31	98 ft	8,010 ft	309.60	ASPHALT	0 ft	200 ft
	30 m	2,441 m	312.03		0 m	61 m
08	131 ft	3,639 ft	81.58	ASPHALT	0 ft	0 ft
	40 m	1,109 m	84.00		0 m	0 m
26	131 ft	3,639 ft	261.57	ASPHALT	0 ft	0 ft
	40 m	1,109 m	264.00		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	ISA	108.70 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
31	LOC-ILS	ISA	108.70 MHz	18 nm	309.86	-	13 ft
				33 km	312.29		13 m
31	GS	ISA	108.70 MHz	10 nm	310.20	2.80	13 ft
				19 km	312.63		13 m