

WIII

Jakarta Sukarno-Hatta Intl


WARR

Surabaya Juanda

2024/05/29 0220Z

WIII KASAL **G461** BA WARR

375.25 nm / 694.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 290ft
- Cruise Speed: 450kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.12574 106.65640	0 ft 0 m	-	Jakarta Sukarno-Hatta Intl
KASAL FIX	-	-6.54399 107.94058	27,800 ft 8,473 m	80	-
CA NDB	G461 AWY-LO	-6.69798 108.55976	35,000 ft 10,668 m	38	CIREBON NDB
PIALA FIX	G461 AWY-LO	-6.79036 109.13682	35,000 ft 10,668 m	34	-
ANY VOR	G461 AWY-LO	-6.97472 110.38008	31,400 ft 9,571 m	74	ACHMAD YANI VOR-DME
BA NDB	G461 AWY-LO	-6.99264 111.41896	17,100 ft 5,212 m	61	BLORA NDB
WARR APT	-	-7.37983 112.78686	0 ft 0 m	84	Surabaya Juanda

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.529 E

METAR

WIII 290200Z 13008KT 090V150 6000 FEW020 31/24 Q1010 NOSIG

TAF

TAF WIII 282300Z 2900/3006 15005KT 5000 HZ FEW020 BECMG 2900/2902 07010KT 9000 NSW BECMG 2913/2915 13005KT 5000 HZ

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

WARR

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 11 ft / 3 m
Location: -7.379830 112.787000
Magnetic Var: 0.582 E

METAR

WARR 290130Z 12005KT 9999 FEW020 30/25 Q1011 NOSIG

TAF

TAF WARR 282300Z 2900/3000 20005KT 5000 HZ FEW020 BECMG 2900/2902 09010KT 9999 NSW

Frequencies

TWR - 118.30 MHz - JUANDA TOWER
REC - 128.20 MHz - ATIS

GND - 118.90 MHz - JUANDA GROUND
APP - 125.10 MHz - SURABAYA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,852 ft	99.25	ASPHALT	0 ft	312 ft
	45 m	3,003 m	98.66		0 m	95 m
28	148 ft	9,852 ft	279.24	ASPHALT	0 ft	292 ft
	45 m	3,003 m	278.66		0 m	89 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ISBY	110.10 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
10	LOC-ILS	ISBY	110.10 MHz	18 nm	99.30	-	8 ft
				33 km	98.71		8 m
10	GS	ISBY	110.10 MHz	10 nm	99.63	3.00	9 ft
				19 km	99.05		9 m