


2024/05/07 0702Z

EGKK LESTA **UY250** GASKO **UP18** ALASO EGPD

379.56 nm / 702.95 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGKK APT	-	51.14880 -0.19192	0 ft 0 m	-	London Gatwick
LESTA FIX	-	52.74080 -1.07194	35,000 ft 10,668 m	101	-
MAMUL FIX	UY250 AWY-HI	53.41810 -1.28000	35,000 ft 10,668 m	41	-
UPTON FIX	UY250 AWY-HI	53.58690 -1.30083	35,000 ft 10,668 m	10	-
BATLI FIX	UY250 AWY-HI	53.64580 -1.36028	35,000 ft 10,668 m	4	-
RIMTO FIX	UY250 AWY-HI	53.71750 -1.43306	35,000 ft 10,668 m	5	-
OBOXA FIX	UY250 AWY-HI	54.17670 -1.90556	35,000 ft 10,668 m	32	-
GASKO FIX	UY250 AWY-HI	54.22470 -1.95583	35,000 ft 10,668 m	3	-
UVAVU FIX	UP18 AWY-HI	54.41670 -1.89611	35,000 ft 10,668 m	11	-
TILNI FIX	UP18 AWY-HI	54.54750 -1.85500	34,800 ft 10,607 m	7	-
GIRLI FIX	UP18 AWY-HI	54.71130 -1.80319	32,600 ft 9,936 m	10	-
NATEB FIX	UP18 AWY-HI	55.03830 -1.69833	28,400 ft 8,656 m	19	-
ELMUD FIX	UP18 AWY-HI	55.11560 -1.67333	27,300 ft 8,321 m	4	-
ALASO FIX	UP18 AWY-HI	55.44720 -1.56500	23,000 ft 7,010 m	20	-
EGPD APT	-	57.20410 -2.19911	0 ft 0 m	107	Aberdeen Dyce

## EGKK

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 187 ft / 57 m  
Location: 51.148800 -0.191923  
Magnetic Var: 0.494 E

## METAR

EGKK 070620Z 36006KT 330V030 CAVOK 12/10 Q1018

## TAF

TAF EGKK 070452Z 0706/0812 02009KT 9999 SCT015 TEMPO 0706/0708 7000 PROB30 TEMPO 0706/0707 4000 BR TEMPO 0721/0800

## Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.14		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.12		414 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.13		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.13		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.13		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.13		187 m

## EGPD

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 4

Elevation: 213 ft / 65 m  
Location: 57.204100 -2.199110  
Magnetic Var: 0.910 W

## METAR

EGPD 070620Z AUTO 31010KT 9999 OVC039 09/06 Q1022

## TAF

TAF EGPD 070454Z 0706/0806 33006KT 9999 SCT025 BKN035 BECMG 0712/0715 14010KT PROB40 TEMPO 0800/0806 6000 BKN008

## Frequencies

REC - 121.85 MHz - ABERDEEN INFO  
GND - 121.70 MHz - ABERDEEN GROUND  
APP - 128.30 MHz - ABERDEEN DIRECTOR

TWR - 118.10 MHz - ABERDEEN TOWER  
APP - 119.05 MHz - ABERDEEN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,414 ft	158.27	ASPHALT	0 ft	0 ft
	46 m	1,955 m	159.18		0 m	0 m
34	151 ft	6,414 ft	338.28	ASPHALT	0 ft	0 ft
	46 m	1,955 m	339.19		0 m	0 m
14	118 ft	1,908 ft	139.39	ASPHALT	0 ft	0 ft
	36 m	582 m	140.30		0 m	0 m
32	118 ft	1,908 ft	319.39	ASPHALT	0 ft	0 ft
	36 m	582 m	320.30		0 m	0 m
05	151 ft	1,563 ft	46.09	ASPHALT	0 ft	0 ft
	46 m	476 m	47.00		0 m	0 m
23	151 ft	1,563 ft	226.09	ASPHALT	0 ft	0 ft
	46 m	476 m	227.00		0 m	0 m
18	75 ft	1,868 ft	179.47	ASPHALT	0 ft	0 ft
	23 m	569 m	180.38		0 m	0 m
36	75 ft	1,868 ft	359.47	ASPHALT	0 ft	0 ft
	23 m	569 m	0.38		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAX	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
34	DME	IABD	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
16	LOC-ILS	IAX	109.90 MHz	18 nm	158.25	-	213 ft
				33 km	159.16		213 m
34	LOC-ILS	IABD	109.90 MHz	18 nm	338.25	-	213 ft
				33 km	339.16		213 m
16	GS	IAX	109.90 MHz	10 nm	158.25	3.00	213 ft
				19 km	159.16		213 m
34	GS	IABD	109.90 MHz	10 nm	338.25	3.00	213 ft
				19 km	339.16		213 m