WALL
Balikpapan Sepinggan


-

WARR
Juanda International Airport

2024/03/28 2223Z

WALL BISOM **W18** BDM **W31** RAMPY WARR

447.65 nm / 829.05 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WALL APT	–	-1.26827 116.89400	0 ft 0 m	–	Balikpapan Sepinggan
BISOM FIX	–	-2.32315 115.84400	31,900 ft 9,723 m	89	–
BDM VOR	W18 AWY-HI	-3.43680 114.73100	35,000 ft 10,668 m	94	BANJARMASIN
IKAPI FIX	W31 AWY-HI	-4.95603 113.97700	34,700 ft 10,577 m	101	–
RAMPY FIX	W31 AWY-HI	-6.25016 113.34600	16,100 ft 4,907 m	86	–
WARR APT	–	-7.37983 112.78700	0 ft 0 m	75	Juanda International Airport

WALL

Region: INDONESIA
Timezone: ASIA/MAKASSAR
Runways: 1

Elevation: 12 ft / 4 m
Location: -1.268270 116.894000
Magnetic Var: 0.065 W

METAR

WALL 282130Z 29003KT 8000 -RA FEW018CB SCT020 26/25 Q1011 RMK CB TO S

TAF

TAF WALL 281700Z 2818/2924 33003KT 9999 FEW020 TEMPO 2818/2821 6000 -RA FEW018CB SCT020

Frequencies

REC - 127.60 MHz - ATIS
GND - 118.10 MHz -
DEP - 121.10 MHz - BALIKPAPAN DEPARTURE

TWR - 118.70 MHz -
APP - 120.40 MHz - BALIKPAPAN APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft 45 m	8,210 ft 2,502 m	67.03 67.09	ASPHALT	0 ft 0 m	197 ft 60 m
25	148 ft 45 m	8,210 ft 2,502 m	247.03 247.09	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	IBPN	110.90 MHz	18 nm 33 km	247.07 247.13	-	12 ft 12 m
25	GS	IBPN	110.90 MHz	10 nm 19 km	247.94 248.01	3.00	12 ft 12 m

WARR

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 11 ft / 3 m
Location: -7.379830 112.787000
Magnetic Var: 0.592 E

METAR

WARR 282130Z 24003KT 5000 HZ FEW020 25/25 Q1011 NOSIG

TAF

TAF WARR 281700Z 2818/2918 25005KT 5000 HZ FEW020 BECMG 2902/2904 35010KT 9999 NSW PROB30 TEMPO 2908/2912 3000 TSR

Frequencies

TWR - 118.30 MHz - JUANDA TOWER
REC - 128.20 MHz - ATIS

GND - 118.90 MHz - JUANDA GROUND
APP - 125.10 MHz - SURABAYA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft 45 m	9,852 ft 3,003 m	99.25 98.65	ASPHALT	0 ft 0 m	312 ft 95 m
28	148 ft 45 m	9,852 ft 3,003 m	279.24 278.65	ASPHALT	0 ft 0 m	292 ft 89 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ISBY	110.10 MHz	18 nm 33 km	- -	-	8 ft 8 m
10	LOC-ILS	ISBY	110.10 MHz	18 nm 33 km	99.30 98.70	-	8 ft 8 m
10	GS	ISBY	110.10 MHz	10 nm 19 km	99.63 99.04	3.00	9 ft 9 m