

# WIHH

Halim Perdana Kusuma


# WIPP

Sultan Mahmud Badaruddin II

2024/05/05 0824Z

WIHH DOLTA **G579** DOMIL WIPP

242.30 nm / 448.73 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 28000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIIH APT	-	-6.26657 106.89100	0 ft 0 m	-	Halim Perdana Kusuma
DOLTA FIX	-	-5.12614 105.92500	28,000 ft 8,534 m	89	-
DOMIL FIX	G579 AWY-HI	-3.91892 105.23800	14,800 ft 4,511 m	83	-
WIPP APT	-	-2.89742 104.69800	0 ft 0 m	69	Sultan Mahmud Badaruddin II

## WIIH

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 1

Elevation: 79 ft / 24 m  
Location: -6.266570 106.891000  
Magnetic Var: 0.539 E

## METAR

WIIH 050730Z 03010KT 6000 SCT018 34/25 Q1006 NOSIG

## TAF

TAF WIIH 050500Z 0506/0606 03010KT 7000 SCT018 TEMPO 0509/0512 20014KT 4000 -RA FEW017CB BECMG 0515/0517 16003KT !

## Frequencies

TWR - 118.60 MHz - HALIM TOWER  
APP - 120.00 MHz - HALIM APPROACH

REC - 128.80 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,852 ft	65.23	ASPHALT	0 ft	0 ft
	45 m	3,003 m	64.69		0 m	0 m
24	148 ft	9,852 ft	245.23	ASPHALT	659 ft	0 ft
	45 m	3,003 m	244.69		201 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IHAL	111.70 MHz	18 nm	-	-	88 ft
				33 km	-		88 m
24	LOC-ILS	IHAL	111.70 MHz	18 nm	245.32	-	87 ft
				33 km	244.78		87 m
24	GS	IHAL	111.70 MHz	10 nm	245.77	3.00	90 ft
				19 km	245.23		90 m

## WIPP

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 1

Elevation: 48 ft / 15 m  
Location: -2.897420 104.698000  
Magnetic Var: 0.393 E

## METAR

WIPP 050730Z VRB03KT 9999 SCT010 33/24 Q1006 NOSIG

## TAF

TAF WIPP 050500Z 0506/0606 10006KT 9999 SCT010 TEMPO 0521/0601 3000 BR

## Frequencies

TWR - 118.10 MHz - MAHMUD TOWER  
REC - 127.20 MHz - ATIS

APP - 119.20 MHz - PALEMBANG RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	9,852 ft	112.87	ASPHALT	0 ft	187 ft
	45 m	3,003 m	112.48		0 m	57 m
29	148 ft	9,852 ft	292.87	ASPHALT	0 ft	190 ft
	45 m	3,003 m	292.48		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPLM	111.10 MHz	18 nm	112.87	-	48 ft
				33 km	112.48		48 m
29	LOC-ILS	IPLB	110.50 MHz	18 nm	292.87	-	48 ft
				33 km	292.48		48 m
11	GS	IPLM	111.10 MHz	10 nm	112.87	3.00	48 ft
				19 km	112.48		48 m
29	GS	IPLB	110.50 MHz	10 nm	292.87	3.00	48 ft
				19 km	292.48		48 m