

# LFRB

Brest Bretagne


# LFRU

Morlaix Ploujean

2024/05/19 2153Z

LFRB BODIL LFRU

25.71 nm / 47.61 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 50ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFRB	-	48.44940	0 ft	-	Brest Bretagne
APT	-	-4.41821	0 m		
BODIL	-	48.52320	0 ft	13	-
FIX	-	-4.08592	0 m		
LFRU	-	48.60320	0 ft	11	Morlaix Ploujean
APT	-	-3.81586	0 m		

## LFRB

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 324 ft / 99 m  
Location: 48.449400 -4.418210  
Magnetic Var: 0.662 W

## METAR

LFRB 192130Z AUTO 02006KT 5000 BR NSC 13/12 Q1014 BECMG BKN003

## TAF

TAF AMD LFRB 192036Z 1920/2024 VRB04KT 9999 BKN018 TEMPO 1920/1922 4000 BR BKN006 BECMG 1922/1924 3000 BR BKN003 P

## Frequencies

REC - 129.35 MHz - ATIS  
TWR - 120.10 MHz - BRETAGNE TOWER  
APP - 122.40 MHz - LANDI APPROACH  
GND - 131.55 MHz - BREST TRAFFIC GROUND  
APP - 135.82 MHz - IROISE APPROACH  
APP - 119.57 MHz - IROISE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	148 ft	10,179 ft	71.15	ASPHALT	0 ft	0 ft
	45 m	3,103 m	71.82		0 m	0 m
25L	148 ft	10,179 ft	251.18	ASPHALT	1,014 ft	0 ft
	45 m	3,103 m	251.85		309 m	0 m
07L	59 ft	2,299 ft	71.20	ASPHALT	0 ft	98 ft
	18 m	701 m	71.86		0 m	30 m
25R	59 ft	2,299 ft	251.21	ASPHALT	0 ft	98 ft
	18 m	701 m	251.87		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25L	DME	BG	109.90 MHz	27 nm	-	-	325 ft
				50 km	-		325 m
25L	LOC-ILS	BG	109.90 MHz	18 nm	251.17	-	324 ft
				33 km	251.83		324 m
25L	GS	BG	109.90 MHz	10 nm	251.17	3.00	324 ft
				19 km	251.83		324 m

## LFRU

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 277 ft / 84 m  
Location: 48.603200 -3.815860  
Magnetic Var: 0.475 W

## METAR

LFRU 192000Z AUTO 01004KT 5000 BR SCT043 13/12 Q1013

## TAF

UNKNOWN

## Frequencies

REC - 118.50 MHz - MORLAIX FSS  
APP - 135.82 MHz - IROISE APP

COM - 118.50 MHz - MORLAIX MULT  
APP - 122.40 MHz - LANDI APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	121 ft	5,299 ft	40.00	ASPHALT	459 ft	0 ft
	37 m	1,615 m	40.47		140 m	0 m
22	121 ft	5,299 ft	220.01	ASPHALT	0 ft	0 ft
	37 m	1,615 m	220.48		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	MX	110.50 MHz	18 nm	-	-	277 ft
				33 km	-		277 m
22	LOC-LOC	MX	110.50 MHz	18 nm	220.12	-	277 ft
				33 km	220.60		277 m