


2024/06/17 1117Z

SBEG LUSUK A566 TFE SBTF

281.69 nm / 521.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBEG	-	-3.03860	0 ft	-	Eduardo Gomes Intl
APT	-	-60.04970	0 m		
LUSUK	-	-3.08867	15,800 ft	44	-
FIX	-	-60.78930	4,816 m		
VUNEP	A566	-3.19917	33,400 ft	81	-
FIX	AWY-LO	-62.13580	10,180 m		
TFE	A566	-3.38777	0 ft	155	TEFE
VOR	AWY-LO	-64.72810	0 m		
SBTF	-	-3.38301	0 ft	0	Tefe
APT	-	-64.72410	0 m		

SBEG

Region: BRAZIL
Timezone: AMERICA/MANAUS
Runways: 1

Elevation: 264 ft / 80 m
Location: -3.038600 -60.049700
Magnetic Var: 16.545 W

METAR

SBEG 171100Z 03001KT 9999 FEW020 25/24 Q1012

TAF

TAF SBEG 170314Z 1706/1806 04003KT 9999 FEW020 TN25/1709Z TX33/1718Z BECMG 1712/1714 09007KT BECMG 1718/1720 SCT0

Frequencies

REC - 127.65 MHz - ATIS	GND - 121.90 MHz - EDUARDO GOMES GROUND
TWR - 118.30 MHz - EDUARDO GOMES TOWER	APP - 119.25 MHz - MANAUS APPROACH
APP - 119.70 MHz - MANAUS APPROACH	APP - 120.40 MHz - MANAUS APPROACH
APP - 129.55 MHz - MANAUS APPROACH	APP - 129.80 MHz - MANAUS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,867 ft	90.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	106.68		0 m	0 m
29	148 ft	8,867 ft	270.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	286.67		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IEG	110.30 MHz	18 nm	90.13	-	264 ft
				33 km	106.68		264 m
11	GS	IEG	110.30 MHz	10 nm	90.13	3.01	264 ft
				19 km	106.68		264 m