

# VCBI

BANDARANAIKE INTL COLOMBO


# FIMP

SIR SEEWOOSAGUR RAMGOOLAM INTL

2024/05/07 0354Z

VCBI CN **G454** PLS FIMP

2115.49 nm / 3917.89 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VCBI	-	7.18075	0 ft	-	BANDARANAIKE INTL COLOMBO
APT	-	79.88412	0 m		
CN	-	6.36203	22,900 ft	64	-
NDB	-	79.19222	6,980 m		
PADLA	G454	4.76833	34,000 ft	119	-
FIX	AWY-LO	78.00000	10,363 m		
SABDI	G454	3.90500	34,000 ft	65	-
FIX	AWY-LO	77.32778	10,363 m		
BAXOS	G454	1.87000	34,000 ft	154	-
FIX	AWY-LO	75.76083	10,363 m		
PUPOD	G454	-1.70278	34,000 ft	270	-
FIX	AWY-LO	73.01028	10,363 m		
MEGOK	G454	-2.65083	34,000 ft	70	-
FIX	AWY-LO	72.30694	10,363 m		
OVTOP	G454	-4.03167	34,000 ft	105	-
FIX	AWY-LO	71.22972	10,363 m		
BOBOD	G454	-6.00000	34,000 ft	150	-
FIX	AWY-LO	69.68500	10,363 m		
TOLID	G454	-6.97861	34,000 ft	74	-
FIX	AWY-LO	68.91833	10,363 m		
NOMIG	G454	-10.65389	34,000 ft	280	-
FIX	AWY-LO	65.99667	10,363 m		
PULIT	G454	-15.00000	34,000 ft	334	-
FIX	AWY-LO	62.41667	10,363 m		
TAPER	G454	-18.51444	32,400 ft	273	-
FIX	AWY-LO	59.37917	9,876 m		
PLS	G454	-20.42003	200 ft	150	PLAISANCE VOR-DME
VOR	AWY-LO	57.66233	61 m		
FIMP	-	-20.43023	0 ft	1	SIR SEEWOOSAGUR RAMGOOLAM INTL
APT	-	57.68360	0 m		

## VCBI

Region: SRI LANKA  
Timezone: ASIA/COLOMBO  
Runways: 1

Elevation: 30 ft / 9 m  
Location: 7.181250 79.883800  
Magnetic Var: 1.613 W

## METAR

VCBI 070310Z 21009KT 190V250 9999 BKN016 30/27 Q1011 NOSIG

## TAF

TAF VCBI 062300Z 0700/0806 VRB06KT 9999 SCT017 TX34/0707Z TN26/0800Z BECMG 0703/0705 25010KT PROB30 TEMPO 0709/0711

## Frequencies

REC - 127.20 MHz - ATIS  
TWR - 118.70 MHz - COLOMBO TOWER  
APP - 120.90 MHz - COLOMBO APPROACH  
GND - 121.90 MHz - COLOMBO GROUND  
TWR - 123.80 MHz - COLOMBO TOWER  
APP - 132.40 MHz - COLOMBO DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,001 ft	37.22	ASPHALT	0 ft	407 ft
	45 m	3,353 m	38.83		0 m	124 m
22	148 ft	11,001 ft	217.22	ASPHALT	0 ft	390 ft
	45 m	3,353 m	218.83		0 m	119 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IKW	109.90 MHz	18 nm	-	-	39 ft
				33 km	-		39 m
22	DME	IKA	110.30 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
04	LOC-ILS	IKW	109.90 MHz	18 nm	37.22	-	30 ft
				33 km	38.83		30 m
22	LOC-ILS	IKA	110.30 MHz	18 nm	217.22	-	30 ft
				33 km	218.83		30 m
04	GS	IKW	109.90 MHz	10 nm	37.22	3.00	30 ft
				19 km	38.83		30 m
22	GS	IKA	110.30 MHz	10 nm	217.22	3.00	30 ft
				19 km	218.83		30 m

## FIMP

Region: MAURITIUS  
Timezone: INDIAN/MAURITIUS  
Runways: 1

Elevation: 183 ft / 56 m  
Location: -20.430200 57.683600  
Magnetic Var: 18.071 W

## METAR

FIMP 070300Z 12010KT 9999 SCT018 24/18 Q1021

## TAF

TAF FIMP 062305Z 0700/0806 13015G25KT 9999 SCT016 TEMPO 0701/0706 7000 -SHRA FEW010 BKN015

## Frequencies

REC - 126.20 MHz - MAURITIUS ATIS  
APP - 119.10 MHz - MAURITIUS APPROACH  
TWR - 118.10 MHz - MAURITIUS TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m