

# LIRP

Pisa-San Giusto "Galileo Galilei"


# LIMJ

Genova-Sestri "Cristoforo Colombo"

2024/06/06 0351Z

LIRP LUKIM LIMJ

80.34 nm / 148.78 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIRP	-	43.68280	0 ft	-	Pisa-San Giusto	"Galileo Galilei"
APT	-	10.39560	0 m			
LUKIM	-	44.14000	5,500 ft	54	-	
FIX	-	9.30861	1,676 m			
LIMJ	-	44.41200	0 ft	25	Genova-Sestri	"Cristoforo Colombo"
APT	-	8.84187	0 m			

## LIRP

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 43.682800 10.395600  
Magnetic Var: 3.416 E

## METAR

LIRP 060315Z 19002KT 9999 FEW040 17/17 Q1018 NOSIG

## TAF

TAF LIRP 052300Z 0600/0624 VRB03KT 9999 FEW020 SCT050 BECMG 0603/0605 14005KT SCT030 BECMG 0610/0612 27010KT CAVO

## Frequencies

GND - 121.60 MHz - PISA GROUND  
TWR - 119.10 MHz - PISA TOWER  
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER  
APP - 124.27 MHz - PISA APPROACH  
APP - 126.07 MHz - PISA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.31		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.32		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.30		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.31		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.35		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.03		3 m

## LIMJ

Region: ITALY  
Timezone: UNKNOWN  
Runways: 1

Elevation: 13 ft / 4 m  
Location: 44.412000 8.841870  
Magnetic Var: 3.119 E

## METAR

LIMJ 060320Z 13008KT 9999 BKN014 BKN030 20/17 Q1017

## TAF

TAF LIMJ 052300Z 0600/0624 VRB05KT 9999 BKN014 BECMG 0610/0612 18010KT BECMG 0615/0617 VRB04KT SCT030

## Frequencies

REC - 122.82 MHz - ATIS  
TWR - 257.80 MHz - GENOVA TOWER  
APP - 119.60 MHz - GENOVA APPROACH  
TWR - 118.60 MHz - GENOVA TOWER  
APP - 119.85 MHz - GENOVA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,576 ft	105.34	ASPHALT	0 ft	197 ft
	45 m	2,919 m	102.22		0 m	60 m
28	148 ft	9,576 ft	285.37	ASPHALT	535 ft	0 ft
	45 m	2,919 m	282.25		163 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	GSE	109.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
28	LOC-ILS	GSE	109.30 MHz	18 nm	285.40	-	9 ft
				33 km	282.28		9 m
28	GS	GSE	109.30 MHz	10 nm	285.40	3.17	26 ft
				19 km	282.28		26 m