


2024/06/05 1338Z

KAVL BASIC KGEV

81.00 nm / 150.01 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KAVL APT	-	35.43620 -82.54180	0 ft 0 m	-	Asheville Rgnl
BUSIC FIX	-	35.69310 -82.23030	7,700 ft 2,347 m	21	-
KGEV APT	-	36.43240 -81.41970	0 ft 0 m	59	ASHE COUNTY

KAVL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 1

Elevation: 2,165 ft / 660 m
Location: 35.436200 -82.541800
Magnetic Var: 7.079 W

METAR

KAVL 051314Z 16007KT 10SM OVC009 21/19 A2999 RMK A02 T02110189

TAF

KAVL 051324Z 0513/0612 16005KT P6SM BKN020 TEMPO 0513/0514 OVC007 FM051400 18007KT P6SM BKN025 FM051600 18010KT P

Frequencies

REC - 120.20 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 121.10 MHz -
APP - 125.80 MHz - APP/DEP

COM - 121.10 MHz - CTAF
GND - 121.90 MHz -
APP - 124.65 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	8,015 ft	159.91	ASPHALT	0 ft	200 ft
	46 m	2,443 m	166.98		0 m	61 m
34	151 ft	8,015 ft	339.91	ASPHALT	0 ft	200 ft
	46 m	2,443 m	346.99		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IIMO	110.90 MHz	18 nm	159.91	-	2,140 ft
				33 km	166.99		2,140 m
34	LOC-ILS	IAVL	110.50 MHz	18 nm	339.91	-	2,165 ft
				33 km	346.99		2,165 m
16	GS	IIMO	110.90 MHz	10 nm	160.82	3.00	2,165 ft
				19 km	167.89		2,165 m
34	GS	IAVL	110.50 MHz	10 nm	340.82	2.80	2,113 ft
				19 km	347.89		2,113 m