


2024/05/06 0721Z

RJCC GOLD PUD ZSPD

1179.18 nm / 2183.84 km



Notes

Generated

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJCC	-	42.76199	0 ft	-	-
APT	-	141.69646	0 m		
GOLD	-	36.14666	0 ft	712	-
FIX	-	128.92192	0 m		
PUD	-	31.16833	0 ft	465	PUDONG VOR-DME
VOR	-	121.78000	0 m		
ZSPD	-	31.15901	0 ft	1	-
APT	-	121.81167	0 m		

## RJCC

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 2

Elevation: 82 ft / 25 m  
Location: 42.775300 141.693000  
Magnetic Var: 9.648 W

## METAR

RJCC 060700Z 14009KT 8000 -RA FEW003 BKN005 BKN007 14/14 Q1010 RMK 1ST003 5ST005 7ST007 A2984 P/FR

## TAF

TAF RJCC 060505Z 0606/0712 16018KT 9999 -SHRA FEW005 BKN015 TEMPO 0609/0615 3000 SHRA BR FEW003 BKN005 TEMPO 0615/

## Frequencies

APP - 120.10 MHz - CHITOSE APPROACH	APP - 124.70 MHz - CHITOSE APPROACH
DEP - 124.70 MHz - CHITOSE DEPARTURE	APP - 127.70 MHz - TCA
TWR - 118.80 MHz - TOWER	TWR - 126.20 MHz - TOWER
GND - 121.60 MHz - GROUND	GND - 121.70 MHz - GROUND
GND - 121.95 MHz - GROUND	CLD - 121.90 MHz - CHITOSE DELIVERY
REC - 128.60 MHz - NEW CHITOSE AIRPORT	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	200 ft	9,852 ft	352.63	ASPHALT	0 ft	190 ft
	61 m	3,003 m	2.28		0 m	58 m
19R	200 ft	9,852 ft	172.63	ASPHALT	0 ft	190 ft
	61 m	3,003 m	182.28		0 m	58 m
01R	200 ft	9,854 ft	352.64	ASPHALT	0 ft	194 ft
	61 m	3,004 m	2.29		0 m	59 m
19L	200 ft	9,854 ft	172.64	ASPHALT	0 ft	190 ft
	61 m	3,004 m	182.28		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ICN	110.90 MHz	18 nm	-	-	81 ft
				33 km	-		81 m
01R	DME	ICH	110.75 MHz	18 nm	-	-	83 ft
				33 km	-		83 m
19R	DME	ICS	111.50 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
01L	LOC-ILS	ICN	110.90 MHz	18 nm	352.63	-	82 ft
				33 km	2.28		82 m
01R	LOC-ILS	ICH	110.75 MHz	18 nm	352.64	-	82 ft
				33 km	2.29		82 m
19L	LOC-ILS	ICM	109.35 MHz	18 nm	172.64	-	82 ft
				33 km	182.29		82 m
19R	LOC-ILS	ICS	111.50 MHz	18 nm	172.63	-	82 ft
				33 km	182.28		82 m
01L	GS	ICN	110.90 MHz	10 nm	352.63	3.00	82 ft
				19 km	2.28		82 m
01R	GS	ICH	110.75 MHz	10 nm	352.64	3.00	82 ft
				19 km	2.29		82 m
19L	GS	ICM	109.35 MHz	10 nm	172.64	3.00	82 ft
				19 km	182.29		82 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19R	GS	ICS	111.50 MHz	10 nm	172.63	3.00	82 ft
				19 km	182.28		82 m

## ZSPD

Region: CHINA  
Timezone: ASIA/SHANGHAI  
Runways: 5

Elevation: 13 ft / 4 m  
Location: 31.141500 121.813000  
Magnetic Var: 6.478 W

## METAR

ZSPD 060700Z 08004MPS CAVOK 25/16 Q1012 NOSIG

## TAF

TAF ZSPD 060304Z 0606/0706 24004MPS 6000 BKN015 TX26/0606Z TN16/0621Z BECMG 0619/0620 03004MPS

## Frequencies

REC - 131.45 MHz - ATIS	REC - 127.85 MHz - ATIS
TWR - 118.40 MHz - PUDONG TOWER	TWR - 118.57 MHz - PUDONG TOWER
TWR - 118.80 MHz - PUDONG TOWER	TWR - 124.35 MHz - PUDONG TOWER
TWR - 118.72 MHz - PUDONG SECONDARY TOWER	TWR - 118.32 MHz - PUDONG SECONDARY TOWER
GND - 121.62 MHz - PUDONG GROUND	GND - 121.80 MHz - PUDONG GROUND
GND - 121.87 MHz - PUDONG GROUND	GND - 121.70 MHz - PUDONG GROUND
GND - 122.70 MHz - PUDONG APRON RAMP/TAXI	GND - 122.60 MHz - PUDONG APRON RAMP/TAXI
GND - 122.65 MHz - PUDONG APRON RAMP/TAXI	GND - 122.97 MHz - PUDONG APRON RAMP/TAXI
CLD - 121.95 MHz - PUDONG CLEARANCE DELIVERY	CLD - 121.67 MHz -
APP - 121.10 MHz - SHANGHAI APPROACH	PUDONG SECONDARY CLEARANCE DELIVERY
APP - 120.30 MHz - SHANGHAI APPROACH	APP - 125.40 MHz - SHANGHAI APPROACH
APP - 125.85 MHz - SHANGHAI APPROACH	APP - 125.62 MHz - SHANGHAI APPROACH
APP - 126.65 MHz - SHANGHAI APPROACH	APP - 126.30 MHz - SHANGHAI APPROACH
APP - 121.37 MHz - SHANGHAI APPROACH	APP - 123.80 MHz - SHANGHAI APPROACH
APP - 120.65 MHz - SHANGHAI SECONDARY APPROACH	APP - 119.75 MHz - SHANGHAI SECONDARY APPROACH
APP - 124.05 MHz - SHANGHAI SECONDARY APPROACH	APP - 128.05 MHz - SHANGHAI SECONDARY APPROACH
	APP - 119.20 MHz - SHANGHAI SECONDARY APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	144 ft	11,192 ft	162.14	CONCRETE	0 ft	197 ft
	44 m	3,411 m	168.62		0 m	60 m
33	144 ft	11,192 ft	342.15	CONCRETE	0 ft	194 ft
	44 m	3,411 m	348.62		0 m	59 m
16L	197 ft	12,505 ft	162.10	CONCRETE	0 ft	0 ft
	60 m	3,812 m	168.58		0 m	0 m
34R	197 ft	12,505 ft	342.11	CONCRETE	0 ft	0 ft
	60 m	3,812 m	348.59		0 m	0 m
16R	197 ft	12,505 ft	162.09	CONCRETE	0 ft	0 ft
	60 m	3,812 m	168.56		0 m	0 m
34L	197 ft	12,505 ft	342.09	CONCRETE	0 ft	0 ft
	60 m	3,812 m	348.57		0 m	0 m
17L	197 ft	13,155 ft	162.08	CONCRETE	0 ft	0 ft
	60 m	4,010 m	168.56		0 m	0 m
35R	197 ft	13,155 ft	342.08	CONCRETE	0 ft	0 ft
	60 m	4,010 m	348.56		0 m	0 m
17R	197 ft	11,183 ft	162.08	CONCRETE	0 ft	0 ft
	60 m	3,409 m	168.56		0 m	0 m
35L	197 ft	11,183 ft	342.09	CONCRETE	0 ft	0 ft
	60 m	3,409 m	348.56		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	DME	IZZ	108.70 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
17L	DME	IPD	110.70 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34L	DME	IDD	108.30 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
16L	LOC-ILS	IHL	111.50 MHz	18 nm	162.11	-	13 ft
				33 km	168.59		13 m
16R	LOC-ILS	IZZ	108.70 MHz	18 nm	162.09	-	13 ft
				33 km	168.57		13 m
17L	LOC-ILS	IPD	110.70 MHz	18 nm	162.08	-	13 ft
				33 km	168.56		13 m
17R	LOC-ILS	IKM	111.10 MHz	18 nm	162.09	-	13 ft
				33 km	168.57		13 m
34L	LOC-ILS	IDD	108.30 MHz	18 nm	342.09	-	13 ft
				33 km	348.57		13 m
34R	LOC-ILS	IPR	108.90 MHz	18 nm	342.11	-	13 ft
				33 km	348.59		13 m
35L	LOC-ILS	IBD	108.10 MHz	18 nm	342.09	-	13 ft
				33 km	348.57		13 m
35R	LOC-ILS	INN	111.90 MHz	18 nm	342.08	-	13 ft
				33 km	348.56		13 m
16L	GS	IHL	111.50 MHz	10 nm	162.11	3.00	13 ft
				19 km	168.59		13 m
16R	GS	IZZ	108.70 MHz	10 nm	162.09	3.00	13 ft
				19 km	168.57		13 m
17L	GS	IPD	110.70 MHz	10 nm	162.08	3.00	13 ft
				19 km	168.56		13 m
17R	GS	IKM	111.10 MHz	10 nm	162.09	3.00	13 ft
				19 km	168.57		13 m
34L	GS	IDD	108.30 MHz	10 nm	342.09	3.00	13 ft
				19 km	348.57		13 m
34R	GS	IPR	108.90 MHz	10 nm	342.11	3.00	13 ft
				19 km	348.59		13 m
35L	GS	IBD	108.10 MHz	10 nm	342.09	3.00	13 ft
				19 km	348.57		13 m
35R	GS	INN	111.90 MHz	10 nm	342.08	3.00	13 ft
				19 km	348.56		13 m