

UUWW

Moscow Vnukovo Andrei N. Tupolev Intl


ULLI

Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky

2024/05/03 0241Z

UUWW AJ **R900** OKUDI ULLI

342.86 nm / 634.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 340ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UUWW	-	55.59570	0 ft	-		Moscow Vnukovo Andrei N. Tupolev Intl
APT	-	37.26590	0 m			
AJ	-	56.51750	300 ft	95		STARITSA
NDB	-	34.93640	91 m			
LANSO	R900	57.74940	300 ft	87	-	
FIX	AWY-HI	33.47690	91 m			
SIFON	R900	58.08110	300 ft	24	-	
FIX	AWY-HI	33.04920	91 m			
OKUDI	R900	59.11640	300 ft	76	-	
FIX	AWY-HI	31.64780	91 m			
ULLI	-	59.80030	0 ft	58		Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky
APT	-	30.26250	0 m			

UUWW

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 685 ft / 209 m
Location: 55.595700 37.265900
Magnetic Var: 11.761 E

METAR

UUWW 030230Z 35005MPS CAVOK 03/M02 Q1017 R06/000070 NOSIG

TAF

TAF UUWW 030151Z 0303/0403 36005MPS 9999 BKN030 TX09/0312Z TN00/0402Z TEMPO 0303/0309 02008G15MPS BECMG 0315/0318

Frequencies

APP - 123.40 MHz - VNUKOVO RADAR	APP - 126.00 MHz - VNUKOVO RADAR
APP - 135.90 MHz - VNUKOVO RADAR	TWR - 118.30 MHz - VNUKOVO TOWER
TWR - 119.45 MHz - VNUKOVO TOWER	TWR - 122.30 MHz - VNUKOVO TOWER
GND - 120.45 MHz - VNUKOVO GROUND	GND - 121.70 MHz - VNUKOVO GROUND
CLD - 131.80 MHz - VNUKOVO CLEARANCE DELIVERY	CLD - 129.70 MHz - VNUKOVO CLEARANCE DELIVERY
REC - 125.87 MHz - ATIS ARRIVAL	REC - 127.80 MHz - ATIS DEPARTURE
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	11,468 ft	68.30	CONCRETE	0 ft	0 ft
	60 m	3,496 m	56.54		0 m	0 m
24	197 ft	11,468 ft	248.34	CONCRETE	0 ft	0 ft
	60 m	3,496 m	236.58		0 m	0 m
01	148 ft	10,038 ft	23.36	ASPHALT	0 ft	0 ft
	45 m	3,060 m	11.60		0 m	0 m
19	148 ft	10,038 ft	203.38	ASPHALT	0 ft	0 ft
	45 m	3,060 m	191.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IWM	111.70 MHz	18 nm	23.38	-	685 ft
				33 km	11.62		685 m
06	LOC-ILS	IGT	108.90 MHz	18 nm	68.32	-	685 ft
				33 km	56.56		685 m
19	LOC-ILS	ITA	111.50 MHz	18 nm	203.38	-	685 ft
				33 km	191.62		685 m
24	LOC-ILS	IOB	111.10 MHz	18 nm	248.32	-	685 ft
				33 km	236.56		685 m
01	GS	IWM	111.70 MHz	10 nm	23.38	3.00	685 ft
				19 km	11.62		685 m
06	GS	IGT	108.90 MHz	10 nm	68.32	3.00	685 ft
				19 km	56.56		685 m
19	GS	ITA	111.50 MHz	10 nm	203.38	3.00	685 ft
				19 km	191.62		685 m
24	GS	IOB	111.10 MHz	10 nm	248.32	3.00	685 ft
				19 km	236.56		685 m

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.651 E

METAR

ULLI 030230Z 12003MPS CAVOK 03/M01 Q1024 R10R/090060 NOSIG

TAF

TAF ULLI 030155Z 0303/0403 12003MPS 9999 SCT020CB PROB40 TEMPO 0303/0305 0600 PRFG

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.75		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.81		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.86		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.89		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.78		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.78		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.89		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.89		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.78		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.78		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.89		79 m