

MMMX

Benito Juarez Intl


MMVA

Villahermosa Intl

2024/05/03 0554Z

MMMX PBC **UJ5** MTT MMVA

368.94 nm / 683.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 39000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMMX	-	19.43630	0 ft	-	Benito Juarez Intl
APT	-	-99.07210	0 m		
PBC	-	19.16090	15,300 ft	43	PUEBLA
VOR	-	-98.37020	4,663 m		
MISAS	UJ5	18.48580	38,700 ft	145	-
FIX	AWY-HI	-95.91750	11,796 m		
AVTUD	UJ5	18.32250	31,300 ft	34	-
FIX	AWY-HI	-95.34280	9,540 m		
MTT	UJ5	18.10290	21,600 ft	45	MINATITLAN
VOR	AWY-HI	-94.58230	6,584 m		
MMVA	-	17.99700	0 ft	101	Villahermosa Intl
APT	-	-92.81480	0 m		

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.905 E

METAR

MMM 030447Z 13004KT 10SM FEW080 BKN220 23/03 A3024 NOSIG RMK 8/038 HZY

TAF

TAF MMM 022255Z 0300/0400 20010KT P6SM BKN020CB BKN080 OVC220 TX31/0320Z TN18/0312Z TEMPO 0300/0302 VC RA FM0302

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.33		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m

MMVA

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 1

Elevation: 44 ft / 13 m
Location: 17.997000 -92.814800
Magnetic Var: 0.995 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

TWR - 118.70 MHz - VILLAHERMOSA TWR

APP - 120.70 MHz - VILLAHERMOSA APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	7,244 ft	86.55	ASPHALT	0 ft	184 ft
	45 m	2,208 m	85.55		0 m	56 m
26	148 ft	7,244 ft	266.56	ASPHALT	0 ft	184 ft
	45 m	2,208 m	265.56		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IVSA	110.50 MHz	18 nm	86.55	-	44 ft
				33 km	85.55		44 m
08	GS	IVSA	110.50 MHz	10 nm	86.55	3.00	44 ft
				19 km	85.55		44 m