

VTCC

Chiang Mai Intl


ZPPP

Kunming Changshui Intl

2024/05/18 0126Z

VTCC CTR **A581** ELASU ZPPP

490.63 nm / 908.65 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VTCC	-	18.76840	0 ft	-	Chiang Mai Intl
APT	-	98.96290	0 m		
CTR	-	19.94890	31,400 ft	88	CHIANG RAI
VOR	-	99.88310	9,571 m		
PONUK	A581	20.31500	35,000 ft	35	-
FIX	AWY-HI	100.38800	10,668 m		
SAGAG	A581	21.19170	35,000 ft	87	-
FIX	AWY-HI	101.62300	10,668 m		
NOKET	A581	22.04830	35,000 ft	55	-
FIX	AWY-HI	101.25500	10,668 m		
BIDRU	A581	22.71830	35,000 ft	43	-
FIX	AWY-HI	100.96500	10,668 m		
ELASU	A581	23.98670	19,700 ft	88	-
FIX	AWY-HI	101.79000	6,005 m		
ZPPP	-	25.11100	0 ft	92	Kunming Changshui Intl
APT	-	102.93700	0 m		

VTCC

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 1

Elevation: 1,036 ft / 316 m
Location: 18.768400 98.962900
Magnetic Var: 0.661 W

METAR

VTCC 180100Z VRB02KT 9999 BKN035 29/23 Q1009 NOSIG

TAF

TAF VTCC 172300Z 1800/1906 18005KT 9999 SCT035 TEMPO 1804/1810 31015G25KT 4000 TSRA FEW025CB BKN035 BECMG 1811/18

Frequencies

REC - 127.20 MHz - ATIS
TWR - 118.10 MHz - CHIANG MAI TOWER
GND - 121.90 MHz - CHIANG MAI GROUND
APP - 129.60 MHz - CHIANG MAI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	11,208 ft	180.13	ASPHALT	984 ft	0 ft
	45 m	3,416 m	180.80		300 m	0 m
36	148 ft	11,208 ft	0.13	ASPHALT	0 ft	328 ft
	45 m	3,416 m	0.80		0 m	100 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ICMA	109.90 MHz	18 nm	-	-	1,035 ft
				33 km	-		1,035 m
36	LOC-ILS	ICMA	109.90 MHz	18 nm	0.13	-	1,036 ft
				33 km	0.79		1,036 m
36	GS	ICMA	109.90 MHz	10 nm	0.13	3.00	1,036 ft
				19 km	0.79		1,036 m

ZPPP

Region: CHINA
Timezone: ASIA/CHONGQING
Runways: 2

Elevation: 6,902 ft / 2,104 m
Location: 25.111000 102.937000
Magnetic Var: 1.482 W

METAR

ZPPP 180100Z 24007MPS 9999 BKN030 21/13 Q1018 NOSIG

TAF

TAF ZPPP 172105Z 1800/1824 23006MPS 9999 SCT020 BKN040 TX25/1808Z TN15/1823Z TEMPO 1808/1810 -TSRA FEW020CB SCT020

Frequencies

REC - 128.45 MHz - ATIS	APP - 119.00 MHz - KUNMING APPROACH
APP - 123.80 MHz - KUNMING APPROACH	APP - 120.35 MHz - KUNMING APPROACH
APP - 124.25 MHz - KUNMING APPROACH	APP - 121.15 MHz - KUNMING APPROACH
APP - 119.22 MHz - KUNMING APPROACH	TWR - 118.10 MHz - KUNMING TOWER
TWR - 130.60 MHz - KUNMING TOWER	GND - 121.65 MHz - KUNMING GROUND
GND - 121.95 MHz - KUNMING GROUND	CLD - 121.70 MHz - KUNMING DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	197 ft	14,777 ft	38.21	ASPHALT	0 ft	413 ft
	60 m	4,504 m	39.69		0 m	126 m
22	197 ft	14,777 ft	218.22	ASPHALT	1,657 ft	387 ft
	60 m	4,504 m	219.70		505 m	118 m
03	148 ft	13,135 ft	38.23	ASPHALT	1,755 ft	394 ft
	45 m	4,004 m	39.72		535 m	120 m
21	148 ft	13,135 ft	218.24	ASPHALT	0 ft	394 ft
	45 m	4,004 m	219.73		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	IZL	111.30 MHz	18 nm	38.24	-	6,902 ft
				33 km	39.72		6,902 m
21	LOC-ILS	IBH	110.10 MHz	18 nm	218.24	-	6,902 ft
				33 km	219.72		6,902 m
04	LOC-ILS	IFY	109.30 MHz	18 nm	38.22	-	6,902 ft
				33 km	39.70		6,902 m
22	LOC-ILS	IKM	108.50 MHz	18 nm	218.22	-	6,902 ft
				33 km	219.70		6,902 m
03	GS	IZL	111.30 MHz	10 nm	38.24	3.00	6,902 ft
				19 km	39.72		6,902 m
21	GS	IBH	110.10 MHz	10 nm	218.24	3.00	6,902 ft
				19 km	219.72		6,902 m
04	GS	IFY	109.30 MHz	10 nm	38.22	3.00	6,902 ft
				19 km	39.70		6,902 m
22	GS	IKM	108.50 MHz	10 nm	218.22	3.00	6,902 ft
				19 km	219.70		6,902 m