

VIDP

Indira Gandhi Intl


VABP

Raja Bhoj

2024/05/16 0914Z

VIDP OSRAM W20 BUKLO VABP

316.74 nm / 586.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 34000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIDP	-	28.55850	0 ft	-	Indira Gandhi Intl
APT	-	77.09790	0 m		
OSRAM	-	27.48360	23,000 ft	64	-
FIX	-	77.14610	7,010 m		
BAVOX	W20	26.14190	34,000 ft	80	-
FIX	AWY-HI	77.21560	10,363 m		
BUKLO	W20	25.00030	22,000 ft	68	-
FIX	AWY-HI	77.25720	6,706 m		
VABP	-	23.28880	0 ft	102	Raja Bhoj
APT	-	77.33000	0 m		

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.602 E

METAR

VIDP 160900Z 36006KT 4000 HZ NSC 42/08 Q1007 NOSIG

TAF

VIDP 160500Z 1606/1712 05004KT 4000 HZ NSC BECMG 1608/1610 35010KT 5000 HZ BECMG 1615/1617 4000 HZ NSC BECMG 1700/

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH
GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.09		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m

VABP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 1,719 ft / 524 m
Location: 23.288800 77.330000
Magnetic Var: 0.716 E

METAR

VABP 160900Z 34008KT 6000 SCT025 40/06 Q1009 NOSIG

TAF

UNKNOWN

Frequencies

TWR - 118.05 MHz - BHOPAL TOWER
APP - 118.05 MHz - BHOPAL APPROACH

GND - 118.55 MHz - BHOPAL TOWER
REC - 127.25 MHz - BHOPAL INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,999 ft	117.83	ASPHALT	0 ft	0 ft
	45 m	2,743 m	117.12		0 m	0 m
30	148 ft	8,999 ft	297.84	ASPHALT	0 ft	0 ft
	45 m	2,743 m	297.13		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IBPH	109.90 MHz	18 nm	-	-	1,719 ft
				33 km	-		1,719 m
30	LOC-ILS	IBPH	109.90 MHz	18 nm	298.88	-	1,713 ft
				33 km	298.16		1,713 m
30	GS	IBPH	109.90 MHz	10 nm	298.53	3.00	1,719 ft
				19 km	297.82		1,719 m