


2024/05/15 0528Z

EDDP OMELO **Z21** VOZ **M725** TABEM LOWW

269.08 nm / 498.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDP	-	51.42260	0 ft	-	Leipzig-Halle
APT	-	12.23600	0 m	-	
OMELO	-	50.83790	26,800 ft	75	-
FIX	-	14.00080	8,169 m	-	
ELPON	Z21	49.92500	28,700 ft	59	-
FIX	AWY-HI	14.61730	8,748 m	-	
VOZ	Z21	49.53230	23,200 ft	25	VOZICE
VOR	AWY-HI	14.87470	7,071 m	-	
TABEM	M725	49.24330	18,500 ft	22	-
FIX	AWY-HI	15.22150	5,639 m	-	
LOWW	-	48.11010	0 ft	86	Vienna
APT	-	16.56960	0 m	-	

EDDP

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 470 ft / 143 m
Location: 51.422600 12.236000
Magnetic Var: 4.237 E

METAR

EDDP 150520Z AUTO 08014KT CAVOK 15/06 Q1010 NOSIG

TAF

TAF EDDP 142300Z 1500/1524 09010KT CAVOK BECMG 1507/1510 10015G25KT TEMPO 1512/1515 10020G35KT BECMG 1516/1519 09010KT

Frequencies

REC - 123.95 MHz - LEIPZIG ATIS	GND - 121.67 MHz - LEIPZIG GROUND
TWR - 125.95 MHz - LEIPZIG TOWER	TWR - 121.10 MHz - LEIPZIG TOWER
COM - 121.10 MHz - LEIPZIG UNICOM	APP - 126.17 MHz - MUNCHEN RADAR
APP - 379.92 MHz - MUNCHEN RADAR	APP - 128.47 MHz - LEIPZIG DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	11,769 ft	85.69	CONCRETE	0 ft	331 ft
	45 m	3,587 m	81.45		0 m	101 m
26R	148 ft	11,769 ft	265.73	CONCRETE	0 ft	335 ft
	45 m	3,587 m	261.49		0 m	102 m
08R	197 ft	11,778 ft	85.69	CONCRETE	0 ft	325 ft
	60 m	3,590 m	81.45		0 m	99 m
26L	197 ft	11,778 ft	265.73	CONCRETE	0 ft	341 ft
	60 m	3,590 m	261.49		0 m	104 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ILNE	108.55 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
08R	LOC-ILS	ILSR	111.75 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
26L	LOC-ILS	ILSL	110.30 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
26R	LOC-ILS	ILNW	108.35 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
08L	GS	ILNE	108.55 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
08R	GS	ILSR	111.75 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
26L	GS	ILSL	110.30 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m
26R	GS	ILNW	108.35 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.015 E

METAR

LOWW 150450Z 12007KT CAVOK 13/06 Q1013 NOSIG

TAF

TAF LOWW 150215Z 1503/1609 14005KT CAVOK TX22/1514Z TN11/1503Z BECMG 1503/1504 14010KT TEMPO 1507/1517 15015G25K

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL
TWR - 124.47 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY
APP - 125.17 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION

REC - 121.72 MHz - ATIS DEPARTURE
TWR - 123.80 MHz - WIEN TOWER
TWR - 119.40 MHz - WIEN TOWER
GND - 121.60 MHz - WIEN GROUND
APP - 134.67 MHz - WIEN RADAR
APP - 129.05 MHz - WIEN RADAR
APP - 136.25 MHz - WIEN RADAR
APP - 134.12 MHz - WIEN DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m