

EFHK

Helsinki Vantaa Intl


EFIV

Ivalo

2024/05/10 1123Z

EFHK ATSEN **M857** ROTKO EFIV

504.55 nm / 934.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 41000ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EFHK APT	-	60.32040 24.95220	0 ft 0 m	-	Helsinki Vantaa Intl
ATSEN FIX	-	62.07690 25.31670	37,800 ft 11,521 m	106	-
GOSVA FIX	M857 AWY-HI	62.52440 25.33810	41,000 ft 12,497 m	26	-
ELSOV FIX	M857 AWY-HI	62.80420 25.35190	41,000 ft 12,497 m	16	-
XEVLO FIX	M857 AWY-HI	63.36580 25.38030	41,000 ft 12,497 m	33	-
ABOXU FIX	M857 AWY-HI	63.58250 25.39140	41,000 ft 12,497 m	13	-
DODEP FIX	M857 AWY-HI	63.72330 25.39890	41,000 ft 12,497 m	8	-
OTBAR FIX	M857 AWY-HI	63.83390 25.40440	41,000 ft 12,497 m	6	-
MIKNU FIX	M857 AWY-HI	64.44420 25.43720	41,000 ft 12,497 m	36	-
EVSET FIX	M857 AWY-HI	64.98750 25.46780	41,000 ft 12,497 m	32	-
GULDU FIX	M857 AWY-HI	65.11610 25.47500	41,000 ft 12,497 m	7	-
UPEDU FIX	M857 AWY-HI	65.29810 25.48560	41,000 ft 12,497 m	10	-
RENV FIX	M857 AWY-HI	66.07610 25.53170	41,000 ft 12,497 m	46	-
ROTKO FIX	M857 AWY-HI	66.96060 25.96110	29,700 ft 9,053 m	54	-
EFIV APT	-	68.60720 27.40510	0 ft 0 m	104	Ivalo

EFHK

Region: FINLAND

Timezone: EUROPE/HELSINKI

Runways: 3

Elevation: 180 ft / 55 m

Location: 60.320400 24.952200

Magnetic Var: 9.961 E

METAR

EFHK 101050Z 33018KT 9999 SCT044 11/M00 Q1012 BECMG 33016G26KT

TAF

TAF TAF EFHK 100831Z 1009/1109 33011KT 9999 BKN019 TEMPO 1009/1019 33017G27KT TEMPO 1107/1109 33015G25KT

Frequencies

REC - 135.07 MHz - ATIS ARRIVAL

TWR - 119.70 MHz - HELSINKI TOWER

TWR - 118.60 MHz - HELSINKI TOWER

GND - 118.12 MHz - HELSINKI GROUND

APP - 119.10 MHz - HELSINKI RADAR APPROACH

APP - 119.70 MHz - HELSINKI RADAR APPROACH

APP - 119.90 MHz - HELSINKI ARRIVAL

REC - 114.20 MHz - ATIS DEPARTURE

TWR - 118.85 MHz - HELSINKI TOWER

GND - 121.80 MHz - HELSINKI GROUND

GND - 121.65 MHz - HELSINKI RAMP/TAXI

APP - 129.85 MHz - HELSINKI RADAR APPROACH

APP - 124.32 MHz - HELSINKI ARRIVAL

GND - 127.02 MHz - HELSINKI DE-ICING

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	197 ft	11,459 ft	47.48	ASPHALT	978 ft	210 ft
	60 m	3,493 m	37.52		298 m	64 m
22L	197 ft	11,459 ft	227.52	ASPHALT	0 ft	207 ft
	60 m	3,493 m	217.56		0 m	63 m
04L	197 ft	10,047 ft	47.42	ASPHALT	0 ft	236 ft
	60 m	3,062 m	37.46		0 m	72 m
22R	197 ft	10,047 ft	227.46	ASPHALT	253 ft	177 ft
	60 m	3,062 m	217.50		77 m	54 m
15	197 ft	9,497 ft	153.07	ASPHALT	0 ft	194 ft
	60 m	2,895 m	143.10		0 m	59 m
33	197 ft	9,497 ft	333.09	ASPHALT	0 ft	197 ft
	60 m	2,895 m	323.13		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	HTV	111.90 MHz	18 nm	-	-	165 ft
				33 km	-		165 m
04R	DME	HG	111.50 MHz	18 nm	-	-	206 ft
				33 km	-		206 m
15	DME	HL	109.10 MHz	18 nm	-	-	220 ft
				33 km	-		220 m
22L	DME	HK	110.30 MHz	18 nm	-	-	205 ft
				33 km	-		205 m
22R	DME	HUO	110.70 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
04L	LOC-ILS	HTV	111.90 MHz	18 nm	47.45	-	180 ft
				33 km	37.49		180 m
04R	LOC-ILS	HG	111.50 MHz	18 nm	47.51	-	180 ft
				33 km	37.55		180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	HL	109.10 MHz	18 nm	153.08	-	180 ft
				33 km	143.12		180 m
22L	LOC-ILS	HK	110.30 MHz	18 nm	227.51	-	180 ft
				33 km	217.55		180 m
22R	LOC-ILS	HUO	110.70 MHz	18 nm	227.45	-	180 ft
				33 km	217.49		180 m
04L	GS	HTV	111.90 MHz	10 nm	47.45	3.00	180 ft
				19 km	37.49		180 m
04R	GS	HG	111.50 MHz	10 nm	47.51	3.00	180 ft
				19 km	37.55		180 m
15	GS	HL	109.10 MHz	10 nm	153.08	3.00	180 ft
				19 km	143.12		180 m
22L	GS	HK	110.30 MHz	10 nm	227.51	3.00	180 ft
				19 km	217.55		180 m
22R	GS	HUO	110.70 MHz	10 nm	227.45	3.00	180 ft
				19 km	217.49		180 m

EFIV

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 1

Elevation: 482 ft / 147 m
Location: 68.607200 27.405100
Magnetic Var: 14.450 E

METAR

EFIV 101050Z AUTO 35008KT 300V050 9999 BKN032 01/M06 Q1012

TAF

UNKNOWN

Frequencies

REC - 123.20 MHz - IVALO ATIS
TWR - 119.70 MHz - IVALO TOWER

TWR - 118.00 MHz - IVALO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,205 ft	46.97	ASPHALT	0 ft	0 ft
	45 m	2,501 m	32.52		0 m	0 m
22	148 ft	8,205 ft	227.01	ASPHALT	0 ft	0 ft
	45 m	2,501 m	212.56		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	LOC-ILS	IV	109.90 MHz	18 nm	227.00	-	482 ft
				33 km	212.55		482 m
22	GS	IV	109.90 MHz	10 nm	227.00	3.00	482 ft
				19 km	212.55		482 m