

KORD

Chicago O'Hare International


MMMX

Benito Juarez Intl

2024/05/03 1314Z

KORD MERKY V69 SPI J101 IAH J29 PSX J177 TAM UJ19 PCA MMMX

1481.55 nm / 2743.83 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KORD APT	-	41.97340 -87.90660	0 ft 0 m	-	Chicago O'Hare International
MERKY FIX	-	40.51640 -89.03050	35,000 ft 10,668 m	101	-
MCLEN FIX	V69 AWY-LO	40.40530 -89.13790	35,000 ft 10,668 m	8	-
ALAND FIX	V69 AWY-LO	40.23260 -89.30400	35,000 ft 10,668 m	12	-
SPI VOR	V69 AWY-LO	39.83970 -89.67770	35,000 ft 10,668 m	29	SPINNER (SPRINGFIELD)
FARGO FIX	J101 AWY-HI	39.72150 -89.77640	35,000 ft 10,668 m	8	-
STL VOR	J101 AWY-HI	38.86070 -90.48240	35,000 ft 10,668 m	61	SAINT LOUIS
TWRAY FIX	J101 AWY-HI	37.60140 -91.01460	35,000 ft 10,668 m	79	-
PLIED FIX	J101 AWY-HI	36.13320 -91.61150	35,000 ft 10,668 m	92	-
IGLOO FIX	J101 AWY-HI	35.81850 -91.73650	35,000 ft 10,668 m	19	-
LIT VOR	J101 AWY-HI	34.67770 -92.18050	35,000 ft 10,668 m	71	LITTLE ROCK
WASKO FIX	J101 AWY-HI	34.06010 -92.64390	35,000 ft 10,668 m	43	-
CISAR FIX	J101 AWY-HI	33.51190 -93.04850	35,000 ft 10,668 m	38	-
BERKE FIX	J101 AWY-HI	32.75510 -93.59720	35,000 ft 10,668 m	53	-
ADUKE FIX	J101 AWY-HI	31.88240 -94.21650	35,000 ft 10,668 m	61	-
SKKIP FIX	J101 AWY-HI	31.24860 -94.65750	35,000 ft 10,668 m	44	-
LFK VOR	J101 AWY-HI	31.16240 -94.71680	35,000 ft 10,668 m	6	LUFKIN
IAH VOR	J101 AWY-HI	29.95690 -95.34570	35,000 ft 10,668 m	79	HUMBLE (HOUSTON)
PSX VOR	J29 AWY-HI	28.76440 -96.30620	35,000 ft 10,668 m	87	PALACIOS
KANNA FIX	J177 AWY-HI	26.00040 -97.00020	35,000 ft 10,668 m	170	-
RADAS FIX	J177 AWY-HI	25.54560 -97.10170	35,000 ft 10,668 m	27	-
AMORI FIX	J177 AWY-HI	24.96500 -97.24030	35,000 ft 10,668 m	35	-
IPRUL FIX	J177 AWY-HI	24.52560 -97.34440	35,000 ft 10,668 m	26	-
EBDUB FIX	J177 AWY-HI	24.32780 -97.39560	35,000 ft 10,668 m	12	-
ONDIS FIX	J177 AWY-HI	23.18940 -97.65640	35,000 ft 10,668 m	69	-
TAM VOR	J177 AWY-HI	22.28960 -97.86300	35,000 ft 10,668 m	55	TAMPICO
PIVOL	UJ19	21.24500	25,300 ft	66	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-98.26390	7,711 m		
PCA	UJ19	20.13180	10,100 ft	70	PACHUCA
VOR	AWY-HI	-98.68440	3,078 m		
MMMX	-	19.43630	0 ft	47	Benito Juarez Intl
APT	-	-99.07210	0 m		

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.110 W

METAR

KORD 031251Z 33008KT 10SM BKN010 OVC015 16/14 A2998 RMK A02 SLP148 T01560139

TAF

TAF KORD 031120Z 0312/0418 34011KT P6SM SCT008 BKN012 TEMPO 0312/0314 BKN008 FM031600 04010KT P6SM SCT250 FM041200

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.98		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.52		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.11		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.904 E

METAR

MMM 031245Z 09004KT 8SM SKC 17/05 A3023 NOSIG RMK HZY ISOL CI

TAF

TAF MMM 031126Z 0312/0412 17005KT P6SM SKC TX31/0320Z TN18/0411Z FM031900 09010KT P6SM SCT220 FM032100 28015KT P

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.33		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m