

LKPR

Vaclav Havel Prague


LR0P

Bucharest Henri Coanda

2024/05/03 0448Z

LKPR BITS I **L726** BNO **T303** MAKAL **P27** PPD **R232** KSC **W425** RUMUK **M977** REBLA **L620** SOBBSA LR0P

640.94 nm / 1187.03 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 350kts
- Cruise Altitude: 35000ft
- Cruise Speed: 430kts
- Descent Rate: 2000ft/min
- Descent Speed: 280kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LKPR APT	-	50.10410 14.25670	0 ft 0 m	-	Vaclav Havel Prague
BITSI FIX	-	49.30830 16.23630	25,200 ft 7,681 m	90	-
BNO VOR	L726 AWY-HI	49.15010 16.69260	30,900 ft 9,418 m	20	BRNO
ESETO FIX	T303 AWY-HI	49.22990 17.71830	35,000 ft 10,668 m	40	-
MAKAL FIX	T303 AWY-HI	49.24600 18.16570	35,000 ft 10,668 m	17	-
ZLA NDB	P27 AWY-LO	49.20290 18.51040	35,000 ft 10,668 m	13	ZILINA
RUTKI FIX	P27 AWY-LO	49.17330 18.94010	35,000 ft 10,668 m	16	-
LIPMU FIX	P27 AWY-LO	49.12310 19.62310	35,000 ft 10,668 m	26	-
PPD VOR	P27 AWY-LO	49.06470 20.35010	35,000 ft 10,668 m	28	TATRY
MARKA FIX	R232 AWY-LO	48.90220 20.69360	35,000 ft 10,668 m	16	-
KSC VOR	R232 AWY-LO	48.68310 21.24820	35,000 ft 10,668 m	25	KOSICE
EVULA FIX	W425 AWY-LO	48.66420 21.66280	35,000 ft 10,668 m	16	-
BIDLI FIX	W425 AWY-LO	48.65000 21.94920	35,000 ft 10,668 m	11	-
LASOT FIX	W425 AWY-LO	48.63470 22.24580	35,000 ft 10,668 m	11	-
SR NDB	W425 AWY-LO	48.52110 22.50890	35,000 ft 10,668 m	12	SEREDNIE
RUMUK FIX	W425 AWY-LO	48.02670 23.34330	35,000 ft 10,668 m	44	-
VAMES FIX	M977 AWY-HI	47.34670 23.56110	35,000 ft 10,668 m	41	-
REBLA FIX	M977 AWY-HI	46.76000 23.74470	35,000 ft 10,668 m	36	-
TGM NDB	L620 AWY-HI	46.44690 24.30660	35,000 ft 10,668 m	29	TARGU MURES
SOBSA FIX	L620 AWY-HI	46.04810 25.08720	27,400 ft 8,352 m	40	-
LROP APT	-	44.57230 26.10230	0 ft 0 m	98	Bucharest Henri Coanda

LKPR

Region: CZECH REPUBLIC
Timezone: EUROPE/PRAGUE
Runways: 2

Elevation: 1,247 ft / 380 m
Location: 50.104100 14.256700
Magnetic Var: 4.662 E

METAR

LKPR 030430Z 20007KT CAVOK 11/09 Q1007 NOSIG

TAF

TAF TAF LKPR 030200Z 0303/0409 15005KT CAVOK BECMG 0303/0305 25008KT BECMG 0305/0307 9999 BKN035 TEMPO 0311/0319 1

Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.33		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.35		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.26		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.30		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.28		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.34		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.29		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.42		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.22		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.34		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.22		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.34		1,234 m

LROP

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 2

Elevation: 313 ft / 95 m
Location: 44.572300 26.102300
Magnetic Var: 6.288 E

METAR

LROP 030430Z 25004KT CAVOK 12/12 Q1007 NOSIG

TAF

TAF LROP 022300Z 0300/0400 VRB04KT CAVOK PROB40 TEMPO 0300/0305 5000 -SHRA SCT045CB TEMPO 0310/0316 20010KT

Frequencies

REC - 118.50 MHz - OTOPENI ATIS
TWR - 121.85 MHz - OTOPENI TWR

GND - 121.70 MHz - OTOPENI GND
APP - 118.25 MHz - BUCHAREST APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	11,494 ft	83.90	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.61		0 m	0 m
26L	148 ft	11,494 ft	263.93	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.64		0 m	0 m
08L	148 ft	11,493 ft	83.91	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.62		0 m	0 m
26R	148 ft	11,493 ft	263.94	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ILL	110.90 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08R	DME	IOP	110.30 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
26L	DME	IOE	109.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
26R	DME	IRR	110.70 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08L	LOC-ILS	ILL	110.90 MHz	18 nm	83.74	-	314 ft
				33 km	77.45		314 m
08R	LOC-ILS	IOP	110.30 MHz	18 nm	83.74	-	303 ft
				33 km	77.45		303 m
26L	LOC-ILS	IOE	109.10 MHz	18 nm	264.11	-	314 ft
				33 km	257.82		314 m
26R	LOC-ILS	IRR	110.70 MHz	18 nm	264.12	-	314 ft
				33 km	257.83		314 m
08L	GS	ILL	110.90 MHz	10 nm	84.84	3.00	314 ft
				19 km	78.55		314 m
08R	GS	IOP	110.30 MHz	10 nm	84.81	2.70	314 ft
				19 km	78.52		314 m
26L	GS	IOE	109.10 MHz	10 nm	264.81	2.70	303 ft
				19 km	258.52		303 m
26R	GS	IRR	110.70 MHz	10 nm	264.84	3.00	314 ft
				19 km	258.55		314 m