

SBCF

Confins-Tancredo Neves Intl


SBBR

Brasilia-Juscelino Kubitschek Intl

2024/05/16 0717Z

SBCF 1900S04500W 1800S04600W SBBR

321.48 nm / 595.38 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCF	-	-19.63580	0 ft	-	Confins-Tancredo Neves Intl
APT	-	-43.96690	0 m		
1900S04500W	-	-19.00000	24,900 ft	69	-
LATLON	-	-45.00000	7,590 m		
1800S04600W	-	-18.00000	35,000 ft	82	-
LATLON	-	-46.00000	10,668 m		
SBBR	-	-15.87110	0 ft	168	Brasilia-Juscelino Kubitschek Intl
APT	-	-47.91860	0 m		

SBCF

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 2,721 ft / 829 m
Location: -19.635800 -43.966900
Magnetic Var: 23.413 W

METAR

SBCF 160700Z 15002KT CAVOK 19/16 Q1019

TAF

TAF SBCF 160430Z 1606/1706 12005KT CAVOK TN17/1609Z TX29/1617Z BECMG 1613/1616 06010KT FEW040 BECMG 1619/1622 CAVOK

Frequencies

REC - 127.85 MHz - ATIS	CLD - 121.00 MHz - CONFINS CLEARANCE
GND - 121.90 MHz - CONFINS GROUND	TWR - 118.20 MHz - CONFINS TOWER
APP - 119.10 MHz - BELO HORIZONTE APPROACH	APP - 119.30 MHz - BELO HORIZONTE APPROACH
APP - 119.65 MHz - BELO HORIZONTE APPROACH	APP - 120.20 MHz - BELO HORIZONTE APPROACH
APP - 128.55 MHz - BELO HORIZONTE APPROACH	APP - 129.10 MHz - BELO HORIZONTE APPROACH
APP - 129.40 MHz - BELO HORIZONTE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,854 ft	138.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	162.38		0 m	0 m
34	148 ft	11,854 ft	318.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	342.37		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICF	109.70 MHz	18 nm	138.96	-	2,721 ft
				33 km	162.37		2,721 m
34	LOC-ILS	ITN	110.30 MHz	18 nm	318.96	-	2,721 ft
				33 km	342.37		2,721 m
16	GS	ICF	109.70 MHz	10 nm	138.96	3.00	2,721 ft
				19 km	162.37		2,721 m
34	GS	ITN	110.30 MHz	10 nm	318.96	3.00	2,721 ft
				19 km	342.37		2,721 m

SBBR

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 3,498 ft / 1,066 m
Location: -15.871100 -47.918600
Magnetic Var: 22.220 W

METAR

SBBR 160700Z 10001KT CAVOK 15/11 Q1019

TAF

TAF SBBR 160430Z 1606/1706 12005KT CAVOK TN18/1609Z TX29/1618Z BECMG 1612/1615 08010KT BECMG 1619/1622 12005KT BE

Frequencies

REC - 127.80 MHz - ATIS	CLD - 121.00 MHz - BRASILIA CLEARANCE
GND - 121.80 MHz - BRASILIA GROUND	GND - 121.95 MHz - BRASILIA GROUND
TWR - 118.10 MHz - BRASILIA TOWER	TWR - 118.45 MHz - BRASILIA TOWER
TWR - 118.75 MHz - BRASILIA TOWER	APP - 119.70 MHz - BRASILIA APPROACH
APP - 129.60 MHz - BRASILIA APPROACH	APP - 119.20 MHz - BRASILIA APPROACH
APP - 120.00 MHz - BRASILIA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11L	148 ft	10,491 ft	86.18	ASPHALT	0 ft	115 ft
	45 m	3,198 m	108.40		0 m	35 m
29R	148 ft	10,491 ft	266.17	ASPHALT	0 ft	190 ft
	45 m	3,198 m	288.39		0 m	58 m
11R	148 ft	10,813 ft	86.18	ASPHALT	0 ft	200 ft
	45 m	3,296 m	108.40		0 m	61 m
29L	148 ft	10,813 ft	266.17	ASPHALT	0 ft	194 ft
	45 m	3,296 m	288.39		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29R	DME	IND	109.30 MHz	18 nm	-	-	3,479 ft
				33 km	-		3,479 m
11L	LOC-ILS	IBR	110.30 MHz	18 nm	86.17	-	3,498 ft
				33 km	108.39		3,498 m
29R	LOC-ILS	IND	109.30 MHz	18 nm	266.17	-	3,498 ft
				33 km	288.39		3,498 m
11R	LOC-ILS	IDF	109.90 MHz	18 nm	86.17	-	3,498 ft
				33 km	108.39		3,498 m
29L	LOC-ILS	IBS	111.50 MHz	18 nm	266.17	-	3,498 ft
				33 km	288.39		3,498 m
11L	GS	IBR	110.30 MHz	10 nm	86.17	3.00	3,498 ft
				19 km	108.39		3,498 m
29R	GS	IND	109.30 MHz	10 nm	266.17	3.00	3,498 ft
				19 km	288.39		3,498 m
11R	GS	IDF	109.90 MHz	10 nm	86.17	3.00	3,498 ft
				19 km	108.39		3,498 m
29L	GS	IBS	111.50 MHz	10 nm	266.17	3.00	3,498 ft
				19 km	288.39		3,498 m