

URKA

Anapa Vityazevo Regl


UDD

Moscow Domodedovo Mikhail V. Lomonosov Intl

2024/05/15 0642Z

URKA OLGIN **M995** RAVID **W533** BEDBA **G476** GD **R369** DINAL UDD

654.40 nm / 1211.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URKA	-	45.00210	0 ft	-	Anapa Vityazevo Regl
APT	-	37.34730	0 m	-	
OLGIN	-	46.65830	35,000 ft	99	-
FIX	-	37.42170	10,668 m	-	-
RAVID	M995	47.74890	35,000 ft	65	-
FIX	AWY-HI	37.22530	10,668 m	-	-
BEDBA	W533	48.07470	35,000 ft	26	-
FIX	AWY-LO	37.68280	10,668 m	-	-
INSUM	G476	48.40920	35,000 ft	20	-
FIX	AWY-HI	37.77170	10,668 m	-	-
IRBAT	G476	48.67310	35,000 ft	16	-
FIX	AWY-HI	37.84280	10,668 m	-	-
LIPSO	G476	48.90000	35,000 ft	13	-
FIX	AWY-HI	37.88330	10,668 m	-	-
LUSIG	G476	49.13670	35,000 ft	14	-
FIX	AWY-HI	37.95330	10,668 m	-	-
MASOL	G476	50.07500	35,000 ft	57	-
FIX	AWY-HI	38.22670	10,668 m	-	-
DIDMA	G476	50.50640	35,000 ft	28	-
FIX	AWY-HI	37.93250	10,668 m	-	-
RASAP	G476	50.73140	35,000 ft	14	-
FIX	AWY-HI	37.77670	10,668 m	-	-
SOMUM	G476	50.86640	35,000 ft	8	-
FIX	AWY-HI	37.68170	10,668 m	-	-
ANIGI	G476	51.16140	35,000 ft	19	-
FIX	AWY-HI	37.47310	10,668 m	-	-
TUMIT	G476	51.61640	35,000 ft	29	-
FIX	AWY-HI	37.14810	10,668 m	-	-
MALUT	G476	51.92640	35,000 ft	18	-
FIX	AWY-HI	37.13310	10,668 m	-	-
UBONA	G476	52.38970	35,000 ft	27	-
FIX	AWY-HI	37.10970	10,668 m	-	-
ASNAR	G476	52.60640	35,000 ft	13	-
FIX	AWY-HI	37.09810	10,668 m	-	-
TIKRA	G476	52.96640	33,700 ft	21	-
FIX	AWY-HI	37.07970	10,272 m	-	-
GD	G476	53.57330	25,900 ft	36	MALOYE SKURATOVO
NDB	AWY-HI	37.05500	7,894 m	-	
DINAL	R369	54.27940	16,600 ft	43	-
FIX	AWY-HI	36.80310	5,060 m	-	-
UUDD	-	55.40920	0 ft	77	Moscow Domodedovo Mikhail V. Lomonosov Intl
APT	-	37.90750	0 m	-	

URKA

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 176 ft / 54 m
Location: 45.002100 37.347300
Magnetic Var: 7.798 E

METAR

URKA 150630Z 10004MPS 080V140 9999 -SHRA BKN054CB 09/09 Q1016 R22/290160 NOSIG RMK QFE757/1010

TAF

TAF TAF URKA 150442Z 1506/1606 18006G13MPS 6000 SCT020CB TEMPO 1506/1518 VRB18MPS 1000 TSRA SQ SCT004 BKN016CB

Frequencies

TWR - 119.80 MHz - ANAPA TOWER
REC - 125.40 MHz - ANAPA ATIS

COM - 118.70 MHz - ANAPA RADAR
TWR - 118.90 MHz - ANAPA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	8,210 ft	42.13	CONCRETE	0 ft	0 ft
	45 m	2,502 m	34.33		0 m	0 m
22	148 ft	8,210 ft	222.15	CONCRETE	0 ft	0 ft
	45 m	2,502 m	214.35		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IAN	109.10 MHz	18 nm	42.14	-	176 ft
				33 km	34.34		176 m
22	LOC-ILS	IAP	110.90 MHz	18 nm	222.14	-	176 ft
				33 km	214.34		176 m
04	GS	IAN	109.10 MHz	10 nm	42.14	3.00	176 ft
				19 km	34.34		176 m
22	GS	IAP	110.90 MHz	10 nm	222.14	3.00	176 ft
				19 km	214.34		176 m

UDD

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 592 ft / 180 m
Location: 55.409200 37.907500
Magnetic Var: 11.824 E

METAR

UDD 150630Z 30002MPS 260V360 9999 SCT043 12/03 Q1026 R32L/CLRD60 NOSIG

TAF

TAF UDD 150453Z 1506/1612 27003MPS 9999 SCT040 TX19/1612Z TN04/1602Z

Frequencies

APP - 125.30 MHz - DOMODEDOVO RADAR	APP - 129.80 MHz - DOMODEDOVO RADAR
APP - 127.70 MHz - DOMODEDOVO RADAR	APP - 119.40 MHz - DOMODEDOVO RADAR
APP - 132.05 MHz - DOMODEDOVO RADAR	APP - 134.67 MHz - DOMODEDOVO RADAR
TWR - 118.60 MHz - DOMODEDOVO TOWER	TWR - 119.70 MHz - DOMODEDOVO TOWER
TWR - 127.30 MHz - DOMODEDOVO TOWER	CLD - 129.15 MHz - DOMODEDOVO DELIVERY
REC - 128.30 MHz - ATIS	REC - 122.95 MHz - ATIS
GND - 119.00 MHz - DOMODEDOVO APRON	APP - 118.95 MHz - MOSCOW APPROACH
APP - 118.55 MHz - MOSCOW APPROACH	APP - 130.37 MHz - MOSCOW APPROACH
APP - 124.20 MHz - MOSCOW APPROACH	APP - 127.20 MHz - MOSCOW APPROACH
APP - 128.00 MHz - MOSCOW APPROACH	APP - 134.00 MHz - MOSCOW APPROACH
APP - 131.20 MHz - MOSCOW APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	174 ft	7,762 ft	145.68	CONCRETE	0 ft	0 ft
	53 m	2,366 m	133.85		0 m	0 m
32R	174 ft	7,762 ft	325.70	CONCRETE	0 ft	0 ft
	53 m	2,366 m	313.87		0 m	0 m
14R	197 ft	11,459 ft	145.68	CONCRETE	0 ft	0 ft
	60 m	3,493 m	133.85		0 m	0 m
32L	197 ft	11,459 ft	325.70	CONCRETE	0 ft	0 ft
	60 m	3,493 m	313.88		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32R	DME	IDE	111.90 MHz	18 nm	-	-	588 ft
				33 km	-		588 m
14R	LOC-ILS	IDM	110.10 MHz	18 nm	145.70	-	592 ft
				33 km	133.88		592 m
32L	LOC-ILS	IDO	109.30 MHz	18 nm	325.70	-	592 ft
				33 km	313.88		592 m
14R	GS	IDM	110.10 MHz	10 nm	145.70	3.00	592 ft
				19 km	133.88		592 m
32L	GS	IDO	109.30 MHz	10 nm	325.70	3.00	592 ft
				19 km	313.88		592 m