


2024/06/15 2239Z

RJTY OZAKA **Y16** SAPRA **G585** ELAPI RKSO

617.54 nm / 1143.69 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJTY	-	35.74850	0 ft	-	YOKOTA AB
APT	-	139.34800	0 m		
OZAKA	-	35.90510	31,300 ft	87	-
FIX	-	137.55300	9,540 m		
KOCHO	Y16	35.92060	35,000 ft	76	-
FIX	AWY-HI	135.98900	10,668 m		
SAKYU	Y16	35.91680	35,000 ft	71	-
FIX	AWY-HI	134.51800	10,668 m		
DRIPS	Y16	35.90890	35,000 ft	33	-
FIX	AWY-HI	133.83600	10,668 m		
SAPRA	Y16	35.82380	35,000 ft	151	-
FIX	AWY-HI	130.72400	10,668 m		
BULGA	G585	35.93580	32,700 ft	44	-
FIX	AWY-HI	129.82300	9,967 m		
KPO	G585	35.97720	29,100 ft	17	POHANG
VOR	AWY-HI	129.47500	8,870 m		
ELAPI	G585	36.33720	21,100 ft	37	-
FIX	AWY-HI	128.84800	6,431 m		
RKSO	-	37.09070	0 ft	98	Osan Airbase
APT	-	127.03000	0 m		

## RJTY

Region: JAPAN  
Timezone: ASIA/TOKYO  
Runways: 1

Elevation: 459 ft / 140 m  
Location: 35.748500 139.348000  
Magnetic Var: 7.944 W

## METAR

RJTY 152155Z 25003KT 10SM FEW030 BKN065 20/18 A2968 RMK A02A SLP051 T01990175

## TAF

TAF RJTY 152100Z 1521/1703 33009KT 9999 SCT020 BKN030 QNH2968INS BECMG 1522/1523 VRB06KT 9999 FEW020 SCT030 BKN040

## Frequencies

REC - 128.40 MHz - ATIS  
TWR - 134.30 MHz -  
DEP - 122.10 MHz -  
GND - 133.20 MHz -  
APP - 118.30 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	200 ft	11,028 ft	170.34	CONCRETE	0 ft	1,001 ft
	61 m	3,361 m	178.28		0 m	305 m
36	200 ft	11,028 ft	350.34	CONCRETE	0 ft	1,001 ft
	61 m	3,361 m	358.29		0 m	305 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	YAS	108.70 MHz	18 nm	170.33	-	408 ft
				33 km	178.28		408 m
36	LOC-ILS	IYOK	109.70 MHz	18 nm	350.33	-	462 ft
				33 km	358.28		462 m
18	GS	YAS	108.70 MHz	10 nm	170.67	3.00	452 ft
				19 km	178.61		452 m
36	GS	IYOK	109.70 MHz	10 nm	350.67	2.50	421 ft
				19 km	358.61		421 m

## RKSO

Region: SOUTH KOREA  
Timezone: ASIA/SEOUL  
Runways: 2

Elevation: 39 ft / 12 m  
Location: 37.090700 127.030000  
Magnetic Var: 8.747 W

## METAR

RKSO 152210Z AUTO 26005KT 2SM BR OVC006 21/19 A2977 RMK A02 VIS 1 1/2 RWY09 LTG DSNT SW PRESRR SLP085 \$

## TAF

TAF TAF RKSO 152100Z 1521/1703 VRB06KT 4000 BR BKN006 QNH2973INS TEMPO 1521/1523 2400 BR OVC006 BECMG 1523/1524 2800

## Frequencies

REC - 132.12 MHz - ATIS  
TWR - 122.10 MHz - TOWER  
APP - 127.90 MHz - APPROACH  
GND - 132.45 MHz - GROUND  
CLD - 127.30 MHz - CLEARANCE DELIVERY  
DEP - 127.90 MHz - DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	150 ft	9,014 ft	84.19	CONCRETE	0 ft	974 ft
	46 m	2,747 m	92.94		0 m	297 m
27R	150 ft	9,014 ft	264.21	CONCRETE	0 ft	981 ft
	46 m	2,747 m	272.96		0 m	299 m
09R	150 ft	9,014 ft	84.19	CONCRETE	0 ft	1,001 ft
	46 m	2,747 m	92.94		0 m	305 m
27L	150 ft	9,014 ft	264.21	CONCRETE	0 ft	981 ft
	46 m	2,747 m	272.96		0 m	299 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	ININ	111.30 MHz	18 nm	84.20	-	39 ft
				33 km	92.95		39 m
27R	LOC-ILS	IOSN	111.30 MHz	18 nm	264.20	-	39 ft
				33 km	272.95		39 m
09L	GS	ININ	111.30 MHz	10 nm	84.20	3.00	39 ft
				19 km	92.95		39 m
27R	GS	IOSN	111.30 MHz	10 nm	264.20	3.00	39 ft
				19 km	272.95		39 m