


2024/06/15 1639Z

VEGT DUKUM **Q18** BBD **G348** TUMLI **B345** NARAN **L626** HW **W37** DOPOS VIDP

804.17 nm / 1489.33 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VEGT	-	26.10770	0 ft	-	GUWAHATI INTL
APT	-	91.58570	0 m		
DUKUM	-	26.27560	18,100 ft	50	-
FIX	-	90.66360	5,517 m		
PAGDA	Q18	26.47220	35,000 ft	60	-
FIX	AWY-HI	89.56830	10,668 m		
OPIMO	Q18	26.58280	35,000 ft	34	-
FIX	AWY-HI	88.93060	10,668 m		
BBD	Q18	26.68760	35,000 ft	33	BAGDOGRA VOR-DME
DME	AWY-HI	88.32600	10,668 m		
MECHI	G348	26.76810	35,000 ft	9	-
FIX	AWY-HI	88.18190	10,668 m		
TUMLI	G348	27.31640	35,000 ft	62	-
FIX	AWY-HI	87.19530	10,668 m		
KIMTI	B345	27.49670	35,000 ft	50	-
FIX	AWY-HI	86.26780	10,668 m		
KTM	B345	27.67360	35,000 ft	50	KATHMANDU
VOR	AWY-HI	85.34860	10,668 m		
NARAN	B345	27.67940	35,000 ft	48	-
FIX	AWY-HI	84.42970	10,668 m		
PALPA	L626	27.94810	35,000 ft	50	-
FIX	AWY-HI	83.53780	10,668 m		
SUKET	L626	28.58780	35,000 ft	107	-
FIX	AWY-HI	81.63500	10,668 m		
MAHEN	L626	28.96330	35,000 ft	81	-
FIX	AWY-HI	80.14810	10,668 m		
ONISA	L626	28.96890	34,700 ft	2	-
FIX	AWY-HI	80.09250	10,577 m		
HW	L626	29.03100	27,700 ft	32	PANTNAGAR
NDB	AWY-HI	79.47390	8,443 m		
DOPOS	W37	28.81670	22,000 ft	26	-
FIX	AWY-HI	79.03190	6,706 m		
VIDP	-	28.55850	0 ft	103	Indira Gandhi Intl
APT	-	77.09790	0 m		

## VEGT

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 1

Elevation: 162 ft / 49 m  
Location: 26.107700 91.585700  
Magnetic Var: 0.072 E

## METAR

VEGT 151600Z 34005KT 2500 BR SCT018 BKN100 30/30 Q1002 NOSIG

## TAF

UNKNOWN

## Frequencies

REC - 126.60 MHz - ATIS  
TWR - 118.75 MHz -  
GND - 121.90 MHz -  
APP - 123.30 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	10,201 ft	22.60	ASPHALT	0 ft	0 ft
	46 m	3,109 m	22.53		0 m	0 m
20	150 ft	10,201 ft	202.61	ASPHALT	0 ft	0 ft
	46 m	3,109 m	202.54		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	IGHT	110.30 MHz	18 nm	-	-	162 ft
				33 km	-		162 m
02	LOC-ILS	IGHT	110.30 MHz	18 nm	21.43	-	162 ft
				33 km	21.36		162 m
02	GS	IGHT	110.30 MHz	10 nm	23.32	3.25	162 ft
				19 km	23.25		162 m

## VIDP

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 3

Elevation: 778 ft / 237 m  
Location: 28.558500 77.097900  
Magnetic Var: 1.607 E

## METAR

VIDP 151600Z 28006KT 4500 HZ NSC 39/14 Q0999 NOSIG

## TAF

TAF VIDP 151100Z 1512/1618 29008G18KT 5000 HZ FEW035 BECMG 1521/1523 25010KT 3500 HZ NSC BECMG 1604/1606 29010G20

## Frequencies

REC - 126.40 MHz - DELHI ATIS  
TWR - 118.10 MHz - DELHI TOWER  
APP - 124.20 MHz - DELHI APPROACH

GND - 121.90 MHz - DELHI GROUND  
APP - 126.35 MHz - DELHI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.08		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.84		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.09		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.84		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.09		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.10		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.10		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.84		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.09		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.84		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.09		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.10		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.10		778 m