

# WIII

Jakarta Soekarno-Hatta Intl


# WABS

Ayawasi (AMA)

2024/05/23 0511Z

WIII KASAL **G461** ANY **W52** MKS **W41** MIL WABS

1608.37 nm / 2978.71 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.11981 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
KASAL FIX	-	-6.54399 107.94100	28,800 ft 8,778 m	80	-
CA NDB	G461 AWY-HI	-6.69798 108.56000	35,000 ft 10,668 m	38	CIREBON
PIALA FIX	G461 AWY-HI	-6.79036 109.13700	35,000 ft 10,668 m	34	-
ANY VOR	G461 AWY-HI	-6.97469 110.38000	35,000 ft 10,668 m	74	SEMARANG
LASEM FIX	W52 AWY-HI	-6.61833 111.61500	35,000 ft 10,668 m	76	-
SIPUT FIX	W52 AWY-HI	-6.28333 112.58300	35,000 ft 10,668 m	61	-
SOLOM FIX	W52 AWY-HI	-5.84000 115.06300	35,000 ft 10,668 m	150	-
GUANO FIX	W52 AWY-HI	-5.63014 116.54300	35,000 ft 10,668 m	89	-
OVINA FIX	W52 AWY-HI	-5.52599 117.06800	35,000 ft 10,668 m	31	-
MKS VOR	W52 AWY-HI	-5.03781 119.52600	35,000 ft 10,668 m	149	MAKASSAR
MILAT FIX	W41 AWY-HI	-4.26041 121.90700	35,000 ft 10,668 m	149	-
KDI VOR	W41 AWY-HI	-4.07564 122.45300	35,000 ft 10,668 m	34	KENDARI
LAMIN FIX	W41 AWY-HI	-3.87771 123.00200	35,000 ft 10,668 m	34	-
LABAT FIX	W41 AWY-HI	-2.28293 127.42500	35,000 ft 10,668 m	282	-
ALoba FIX	W41 AWY-HI	-1.64388 129.19500	35,000 ft 10,668 m	112	-
APASI FIX	W41 AWY-HI	-1.44594 129.74300	35,000 ft 10,668 m	34	-
MIL VOR	W41 AWY-HI	-0.89622 131.29000	15,400 ft 4,694 m	98	SORONG
WABS APT	-	-1.15750 132.46300	0 ft 0 m	72	Ayawasi (AMA)

## WIII

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 3

Elevation: 34 ft / 10 m  
Location: -6.119810 106.657000  
Magnetic Var: 0.529 E

## METAR

WIII 230500Z 31009KT 6000 -RA FEW018CB BKN020 27/26 Q1009 BECMG AT0530 NSW RMK CB TO SE

## TAF

TAF AMD WIII 230400Z 2304/2406 33012KT 6000 SCT020 TEMPO 2304/2307 3000 TSRA FEW020CB BKN020 BECMG 2319/2321 5000

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m