


2024/05/15 0208Z

FDMS AVOSA **UT444** ESVAT **UM310** GADSU **M310** ETLAM FQBR

461.49 nm / 854.69 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FDMS	-	-26.52900	0 ft	-	MATSAPHA
APT	-	31.30750	0 m		
AVOSA	-	-25.23060	35,000 ft	107	-
FIX	-	32.67690	10,668 m		
ESVAT	UT444	-25.21390	35,000 ft	8	-
FIX	AWY-HI	32.84140	10,668 m		
ANSUT	UM310	-24.82830	35,000 ft	24	-
FIX	AWY-HI	32.97940	10,668 m		
AXIVO	UM310	-24.58330	35,000 ft	15	-
FIX	AWY-HI	33.06670	10,668 m		
UTONI	UM310	-23.52030	35,000 ft	68	-
FIX	AWY-HI	33.49920	10,668 m		
IMLIT	UM310	-23.28830	35,000 ft	14	-
FIX	AWY-HI	33.59330	10,668 m		
GADSU	UM310	-22.50110	35,000 ft	49	-
FIX	AWY-HI	33.88580	10,668 m		
ETLAM	M310	-20.97000	16,100 ft	96	-
FIX	AWY-LO	34.43830	4,907 m		
FQBR	-	-19.79650	0 ft	75	Beira
APT	-	34.90770	0 m		

## FQBR

Region: MOZAMBIQUE  
Timezone: AFRICA/MAPUTO  
Runways: 1

Elevation: 36 ft / 11 m  
Location: -19.796500 34.907700  
Magnetic Var: 12.495 W

## METAR

FQBR 150100Z 23005KT 9999 FEW017 23/21 Q1018

## TAF

TAF FQBR 142200Z 1500/1606 16012KT 9999 BKN020 TX28/1513Z TN20/1502Z PROB30 TEMPO 1500/1506 5000 +RADZ SCT012 BKN

## Frequencies

GND - 121.70 MHz - BEIRA GROUND  
APP - 119.70 MHz - BEIRA APPROACH

TWR - 118.10 MHz - BEIRA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,881 ft	105.02	ASPHALT	0 ft	0 ft
	45 m	2,402 m	117.52		0 m	0 m
30	148 ft	7,881 ft	285.02	ASPHALT	0 ft	0 ft
	45 m	2,402 m	297.51		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	BR	110.30 MHz	18 nm	104.75	-	33 ft
				33 km	117.24		33 m
12	GS	BR	110.30 MHz	10 nm	105.88	3.00	33 ft
				19 km	118.38		33 m