

SCEL

Arturo Merino Benitez Intl


KMIA

Miami Intl

2024/05/01 0312Z

SCEL DONTI **UL780** TBG **UL465** GCM IKBIX **Y183** PEAKY DVALL KMIA

3663.12 nm / 6784.10 km



Notes

Requested: SCEL DONT4B DONTI UL780 ISREN UL780 TBG UL465 ARNAL UL465 GCM UG448 IKBIX Y183 PEAKY DVALL CURS05 KMIA
Unmatched points: DONT4B Y183 CURS05

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCEL	-	-33.39100	0 ft	-	Arturo Merino Benitez Intl
APT	-	-70.79430	0 m	-	
DONTI	-	-32.95010	0 ft	33	-
FIX	-	-71.18990	0 m	-	-
BUXIS	UL780	-32.25920	0 ft	44	-
FIX	AWY-HI	-71.49170	0 m	-	-
MOPNU	UL780	-30.65940	0 ft	102	-
FIX	AWY-HI	-72.17190	0 m	-	-
SIKAB	UL780	-28.50000	0 ft	137	-
FIX	AWY-HI	-73.05330	0 m	-	-
SULNA	UL780	-27.77860	0 ft	45	-
FIX	AWY-HI	-73.33920	0 m	-	-
LIVOR	UL780	-24.26420	0 ft	219	-
FIX	AWY-HI	-74.48750	0 m	-	-
ISPEL	UL780	-21.42190	0 ft	177	-
FIX	AWY-HI	-75.37940	0 m	-	-
SORTA	UL780	-18.35000	0 ft	191	-
FIX	AWY-HI	-76.30330	0 m	-	-
MOXES	UL780	-14.27470	0 ft	253	-
FIX	AWY-HI	-77.41780	0 m	-	-
ISREN	UL780	-9.70333	0 ft	284	-
FIX	AWY-HI	-78.67670	0 m	-	-
TRU	UL780	-8.08752	0 ft	100	TRUJILLO
VOR	AWY-HI	-79.11250	0 m	-	
VAKUD	UL780	-4.50333	0 ft	216	-
FIX	AWY-HI	-79.56670	0 m	-	-
EVRED	UL780	-2.79778	0 ft	103	-
FIX	AWY-HI	-79.78110	0 m	-	-
GYV	UL780	-2.12828	0 ft	40	GUAYAQUIL
VOR	AWY-HI	-79.86690	0 m	-	
DALUD	UL780	-1.46167	0 ft	40	-
FIX	AWY-HI	-79.86060	0 m	-	-
UGUPI	UL780	1.41667	0 ft	172	-
FIX	AWY-HI	-79.83330	0 m	-	-
BUXOS	UL780	5.16667	0 ft	225	-
FIX	AWY-HI	-79.66670	0 m	-	-
TORIL	UL780	7.28111	0 ft	127	-
FIX	AWY-HI	-79.60670	0 m	-	-
TBG	UL780	8.78757	0 ft	90	TABOGA ISLAND
VOR	AWY-HI	-79.56200	0 m	-	
ARNAL	UL465	15.00000	0 ft	378	-
FIX	AWY-HI	-80.61420	0 m	-	-
EMASA	UL465	16.00000	0 ft	60	-
FIX	AWY-HI	-80.78780	0 m	-	-
GCM	UL465	19.28940	0 ft	200	GRAND CAYMAN
VOR	AWY-HI	-81.37200	0 m	-	
IKBIX	-	24.00000	0 ft	283	-
FIX	-	-81.23330	0 m	-	-
PEAKY	Y183	24.58990	0 ft	35	-
FIX	AWY-HI	-81.14830	0 m	-	-
DVALL	-	25.51470	0 ft	56	-
FIX	-	-80.99900	0 m	-	-
KMIA	-	25.79620	0 ft	41	Miami Intl
APT	-	-80.28970	0 m	-	

SCEL

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 2

Elevation: 1,555 ft / 474 m
Location: -33.391000 -70.794300
Magnetic Var: 0.789 E

METAR

SCEL 010300Z 21004KT 9999 BKN040 BKN170 13/08 Q1018 NOSIG

TAF

TAF SCEL 302200Z 0100/0124 21010KT 9999 FEW050 SCT160 TX17/0118Z TN09/0109Z BECMG 0102/0104 15004KT TEMPO 0108/0110 21010KT

Frequencies

REC - 132.70 MHz - ATIS
TWR - 118.35 MHz - SANTIAGO TOWER
CLD - 121.70 MHz - CLEARANCE DELIVERY
APP - 129.70 MHz - SANTIAGO APPROACH
TWR - 118.10 MHz - SANTIAGO TOWER
GND - 122.20 MHz - SANTIAGO GROUND
APP - 119.70 MHz - SANTIAGO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	12,479 ft	177.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	176.68		0 m	0 m
35L	148 ft	12,479 ft	357.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	356.68		0 m	0 m
17L	180 ft	12,315 ft	177.42	ASPHALT	0 ft	0 ft
	55 m	3,754 m	176.64		0 m	0 m
35R	180 ft	12,315 ft	357.42	ASPHALT	1,785 ft	0 ft
	55 m	3,754 m	356.63		544 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IUEL	110.30 MHz	18 nm	-	-	1,557 ft
				33 km	-		1,557 m
17R	DME	IMER	111.10 MHz	18 nm	-	-	1,555 ft
				33 km	-		1,555 m
17L	LOC-ILS	IUEL	110.30 MHz	18 nm	177.42	-	1,555 ft
				33 km	176.63		1,555 m
17R	LOC-ILS	IMER	111.10 MHz	18 nm	177.47	-	1,555 ft
				33 km	176.68		1,555 m
17L	GS	IUEL	110.30 MHz	10 nm	177.42	3.00	1,555 ft
				19 km	176.63		1,555 m
17R	GS	IMER	111.10 MHz	10 nm	177.47	3.00	1,555 ft
				19 km	176.68		1,555 m

KMIA

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 11 ft / 3 m
Location: 25.796200 -80.289700
Magnetic Var: 7.271 W

METAR

KMIA 010253Z 10005KT 10SM BKN022 BKN130 BKN170 OVC200 24/22 A3000 RMK A02 SLP159 60001 T02440222 51007 \$

TAF

TAF AMD KMIA 010256Z 0103/0206 VRB04KT P6SM VCSH SCT025 BKN050 BKN150 FM011500 13010KT P6SM VCSH SCT025 BKN050 FM020000 10010KT P6SM VCSH SCT025 BKN050

Frequencies

REC - 119.15 MHz - D-ATIS	REC - 133.67 MHz - D-ATIS
COM - 123.00 MHz - UNICOM	CLD - 135.35 MHz - CLEARANCE DELIVERY
GND - 121.80 MHz - MIAMI GROUND	GND - 127.50 MHz - MIAMI GROUND
TWR - 118.30 MHz - MIAMI TOWER	TWR - 123.90 MHz - MIAMI TOWER
APP - 120.50 MHz - MIAMI APPROACH	APP - 124.85 MHz - MIAMI APPROACH
APP - 125.75 MHz - MIAMI APPROACH	DEP - 119.45 MHz - MIAMI DEPARTURE
DEP - 125.50 MHz - MIAMI DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	151 ft	13,027 ft	87.37	CONCRETE	1,371 ft	384 ft
	46 m	3,971 m	94.64		418 m	117 m
27	151 ft	13,027 ft	267.39	CONCRETE	276 ft	374 ft
	46 m	3,971 m	274.66		84 m	114 m
08R	200 ft	10,515 ft	87.38	CONCRETE	0 ft	407 ft
	61 m	3,205 m	94.65		0 m	124 m
26L	200 ft	10,515 ft	267.39	CONCRETE	0 ft	407 ft
	61 m	3,205 m	274.66		0 m	124 m
08L	151 ft	8,607 ft	87.38	CONCRETE	0 ft	387 ft
	46 m	2,624 m	94.65		0 m	118 m
26R	151 ft	8,607 ft	267.39	CONCRETE	0 ft	387 ft
	46 m	2,624 m	274.66		0 m	118 m
12	151 ft	9,366 ft	119.61	CONCRETE	0 ft	397 ft
	46 m	2,855 m	126.88		0 m	121 m
30	151 ft	9,366 ft	299.62	CONCRETE	948 ft	0 ft
	46 m	2,855 m	306.89		289 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IROY	109.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
08R	DME	IMFA	110.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
12	DME	IGEM	108.90 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
26L	DME	IVIN	109.10 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
26R	DME	ICNV	109.30 MHz	18 nm	-	-	8 ft
				33 km	-		8 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IDCX	111.70 MHz	18 nm	-	-	8 ft
				33 km	-		8 m
08R	LOC-ILS	IMFA	110.30 MHz	18 nm	87.37	-	4 ft
				33 km	94.64		4 m
09	LOC-ILS	IBUL	110.90 MHz	18 nm	87.37	-	4 ft
				33 km	94.64		4 m
12	LOC-ILS	IGEM	108.90 MHz	18 nm	119.60	-	4 ft
				33 km	126.87		4 m
26L	LOC-ILS	IVIN	109.10 MHz	18 nm	267.37	-	4 ft
				33 km	274.64		4 m
27	LOC-ILS	IMIA	109.50 MHz	18 nm	267.37	-	4 ft
				33 km	274.64		4 m
30	LOC-ILS	IDCX	111.70 MHz	18 nm	299.60	-	4 ft
				33 km	306.87		4 m
08L	LOC-LOC	IROY	109.30 MHz	18 nm	87.36	-	4 ft
				33 km	94.63		4 m
26R	LOC-LOC	ICNV	109.30 MHz	18 nm	267.36	-	4 ft
				33 km	274.63		4 m
08R	GS	IMFA	110.30 MHz	10 nm	87.37	3.00	4 ft
				19 km	94.64		4 m
09	GS	IBUL	110.90 MHz	10 nm	87.37	3.00	4 ft
				19 km	94.64		4 m
12	GS	IGEM	108.90 MHz	10 nm	119.60	3.00	4 ft
				19 km	126.87		4 m
26L	GS	IVIN	109.10 MHz	10 nm	267.37	3.00	4 ft
				19 km	274.64		4 m
27	GS	IMIA	109.50 MHz	10 nm	267.37	3.00	4 ft
				19 km	274.64		4 m
30	GS	IDCX	111.70 MHz	10 nm	299.60	3.00	4 ft
				19 km	306.87		4 m