LFQQ
Lille Lesquin


-

LFMP
Rivesaltes

2024/03/29 0224Z

LFQQ CLM **UL194** ODEBU LATRA **UM133** LAKOB **UY27** AMLIR LFMP

478.86 nm / 886.85 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFQQ APT	–	50.56630 3.09539	0 ft 0 m	–	Lille Lesquin
CLM VOR	–	48.84460 3.01386	35,000 ft 10,668 m	103	COULOMMIERS
KUVIV FIX	UL194 AWY-HI	48.39140 2.70167	35,000 ft 10,668 m	29	–
ODEBU FIX	UL194 AWY-HI	48.28110 2.62611	35,000 ft 10,668 m	7	–
LATRA FIX	– –	48.08330 2.51667	35,000 ft 10,668 m	12	–
LAMUT FIX	UM133 AWY-HI	47.11830 2.98472	35,000 ft 10,668 m	60	–
LAKOB FIX	UM133 AWY-HI	46.88330 3.09611	35,000 ft 10,668 m	14	–
KUKOR FIX	UY27 AWY-HI	46.54180 3.12917	35,000 ft 10,668 m	20	–
ADEKA FIX	UY27 AWY-HI	45.94170 3.18000	35,000 ft 10,668 m	36	–
CFA VOR	UY27 AWY-HI	45.78750 3.19219	35,000 ft 10,668 m	9	CLERMONT FERRAND AUVERGNE
MALEB FIX	UY27 AWY-HI	45.43080 3.18139	34,700 ft 10,577 m	21	–
MOKDI FIX	UY27 AWY-HI	44.95690 3.16694	28,600 ft 8,717 m	28	–
MEN VOR	UY27 AWY-HI	44.60840 3.16242	24,200 ft 7,376 m	20	MENDE
AMLIR FIX	UY27 AWY-HI	44.44310 3.16500	22,000 ft 6,706 m	9	–
LFMP APT	–	42.74020 2.87079	0 ft 0 m	103	Rivesaltes

LFQQ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 154 ft / 47 m
Location: 50.566300 3.095390
Magnetic Var: 1.571 E

METAR

LFQQ 290200Z AUTO 18020KT 9999 -RA //////CB 09/04 Q0990 TEMPO 4000 RA BKN013

TAF

TAF LFQQ 282300Z 2900/3006 19017G27KT 9999 BKN030 BECMG 2900/2902 19012KT TEMPO 2902/2907 4000 RA BKN013 PROB30 TE

Frequencies

REC - 119.32 MHz - LILLE ATIS
TWR - 118.55 MHz - LILLE TWR
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND
APP - 126.47 MHz - LILLE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft 45 m	9,250 ft 2,819 m	77.36 75.78	ASPHALT	0 ft 0 m	0 ft 0 m
26	146 ft 45 m	9,250 ft 2,819 m	257.39 255.81	ASPHALT	919 ft 280 m	0 ft 0 m
02	98 ft 30 m	5,172 ft 1,576 m	14.83 13.26	ASPHALT	0 ft 0 m	0 ft 0 m
20	98 ft 30 m	5,172 ft 1,576 m	194.84 193.26	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm 33 km	77.13 75.56	-	135 ft 135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm 33 km	257.13 255.56	-	157 ft 157 m
26	GS	LIL	110.75 MHz	10 nm 19 km	257.00 255.43	3.00	129 ft 129 m

LFMP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 143 ft / 44 m
Location: 42.740200 2.870790
Magnetic Var: 1.714 E

METAR

LFMP 290200Z AUTO 14017G28KT 100V160 CAVOK 18/09 Q0996

TAF

TAF TAF LFMP 282131Z 2821/2915 CNL

Frequencies

REC - 127.87 MHz - LFMP ATIS
APP - 120.75 MHz - PERPIGNAN APP
TWR - 118.30 MHz - PERPIGNAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft 45 m	8,296 ft 2,529 m	148.79 147.07	ASPHALT	0 ft 0 m	230 ft 70 m
33	148 ft 45 m	8,296 ft 2,529 m	328.80 327.09	ASPHALT	558 ft 170 m	230 ft 70 m
13	66 ft 20 m	3,635 ft 1,108 m	129.20 127.48	ASPHALT	0 ft 0 m	528 ft 161 m
31	66 ft 20 m	3,635 ft 1,108 m	309.21 307.49	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	PL	111.75 MHz	18 nm 33 km	- -	-	183 ft 183 m
33	LOC-ILS	PL	111.75 MHz	18 nm 33 km	328.30 326.58	-	124 ft 124 m
33	GS	PL	111.75 MHz	10 nm 19 km	328.77 327.06	3.00	124 ft 124 m