

# OIII

Tehran Mehrabad Intl


# OITT

Tabriz Intl

2024/05/10 0608Z

OIII TRN **UM573** DAMOS OITT

284.75 nm / 527.36 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIII	-	35.69260	0 ft	-	Tehran Mehrabad Intl
APT	-	51.31750	0 m		
TRN	-	35.69700	500 ft	1	TEHRAN
VOR	-	51.28380	152 m		
DAMOS	UM573	37.43860	17,800 ft	199	-
FIX	AWY-HI	47.75580	5,425 m		
OITT	-	38.13300	0 ft	83	Tabriz Intl
APT	-	46.23500	0 m		

## OIII

Region: IRAN  
Timezone: ASIA/TEHRAN  
Runways: 3

Elevation: 3,963 ft / 1,208 m  
Location: 35.692600 51.317500  
Magnetic Var: 5.106 E

## METAR

OIII 100530Z 21006KT 9999 FEW040 18/02 Q1020 A3014

## TAF

TAF OIII 092300Z 1000/1106 30012KT 8000 NSC BECMG 1005/1007 15007KT TEMPO 1006/1015 21010KT

## Frequencies

REC - 128.00 MHz - ATIS	TWR - 118.10 MHz - MEHRABAD TOWER
TWR - 124.45 MHz - MEHRABAD TOWER	GND - 121.70 MHz - MEHRABAD GROUND
GND - 121.90 MHz - MEHRABAD GROUND	CLD - 121.85 MHz - MEHRABAD CLEARANCE DELIVERY
APP - 119.70 MHz - MEHRABAD APPROACH	APP - 125.10 MHz - MEHRABAD APPROACH
APP - 119.70 MHz - MEHRABAD RADAR	APP - 125.10 MHz - MEHRABAD RADAR
DEP - 125.10 MHz - MEHRABAD RADAR	DEP - 119.70 MHz - MEHRABAD RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	131 ft	1,589 ft	88.24	CONCRETE	16 ft	75 ft
	40 m	484 m	83.13		5 m	23 m
27	131 ft	1,589 ft	268.24	CONCRETE	16 ft	194 ft
	40 m	484 m	263.13		5 m	59 m
11L	148 ft	13,087 ft	109.70	CONCRETE	0 ft	0 ft
	45 m	3,989 m	104.60		0 m	0 m
29R	148 ft	13,087 ft	289.73	CONCRETE	0 ft	0 ft
	45 m	3,989 m	284.62		0 m	0 m
11R	197 ft	13,379 ft	109.74	ASPHALT	0 ft	1,191 ft
	60 m	4,078 m	104.63		0 m	363 m
29L	197 ft	13,379 ft	289.76	ASPHALT	144 ft	141 ft
	60 m	4,078 m	284.66		44 m	43 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ITHL	109.90 MHz	18 nm	-	-	3,804 ft
				33 km	-		3,804 m
29L	LOC-ILS	ITHL	109.90 MHz	18 nm	289.75	-	3,963 ft
				33 km	284.64		3,963 m
29L	GS	ITHL	109.90 MHz	10 nm	289.75	3.30	3,963 ft
				19 km	284.64		3,963 m

## OITT

Region: IRAN  
Timezone: ASIA/TEHRAN  
Runways: 2

Elevation: 4,449 ft / 1,356 m  
Location: 38.133000 46.235000  
Magnetic Var: 6.078 E

## METAR

OITT 100530Z 08004KT 9999 FEW030 BKN180 16/06 Q1020 A3013

## TAF

TAF OITT 092300Z 1000/1106 06006KT 8000 FEW030 TEMPO 1006/1015 27013KT FEW030TCU

## Frequencies

REC - 127.00 MHz - ATIS	TWR - 121.90 MHz - TABRIZ TOWER
TWR - 121.70 MHz - TABRIZ TOWER	TWR - 124.10 MHz - TABRIZ TOWER
TWR - 257.80 MHz - TABRIZ TOWER	APP - 122.50 MHz - TABRIZ APPROACH
APP - 263.60 MHz - TABRIZ APPROACH	APP - 362.30 MHz - TABRIZ APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12L	148 ft	11,973 ft	128.97	CONCRETE	0 ft	0 ft
	45 m	3,649 m	122.90		0 m	0 m
30R	148 ft	11,973 ft	308.99	CONCRETE	0 ft	0 ft
	45 m	3,649 m	302.92		0 m	0 m
12R	148 ft	12,309 ft	129.00	ASPHALT	0 ft	1,122 ft
	45 m	3,752 m	122.92		0 m	342 m
30L	148 ft	12,309 ft	309.02	ASPHALT	886 ft	791 ft
	45 m	3,752 m	302.94		270 m	241 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	DME	ITBZ	109.90 MHz	18 nm	-	-	4,459 ft
				33 km	-		4,459 m
30R	LOC-ILS	ITBZ	109.90 MHz	18 nm	309.03	-	4,459 ft
				33 km	302.95		4,459 m
30R	GS	ITBZ	109.90 MHz	10 nm	309.12	3.00	4,459 ft
				19 km	303.04		4,459 m