

OIII

Tehran Mehrabad Intl


OIAM

Mahshahr

2024/06/10 0113Z

OIII EGVEL **B417** IMKEN OIAM

330.15 nm / 611.43 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OIII	-	35.69260	0 ft	-	Tehran Mehrabad Intl
APT	-	51.31750	0 m		
EGVEL	-	34.71610	25,300 ft	71	-
FIX	-	50.50140	7,711 m		
UKITA	B417	33.11580	34,200 ft	99	-
FIX	AWY-HI	50.01140	10,424 m		
IMKEN	B417	31.73530	15,900 ft	85	-
FIX	AWY-HI	49.60310	4,846 m		
OIAM	-	30.55620	0 ft	74	Mahshahr
APT	-	49.15180	0 m		

OIII

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 3

Elevation: 3,963 ft / 1,208 m
Location: 35.692600 51.317500
Magnetic Var: 5.110 E

METAR

OIII 100100Z 32006KT 9999 FEW035 SCT100 29/M02 Q1014 A2997 NOSIG

TAF

TAF OIII 092300Z 1000/1106 15012KT 8000 FEW035 SCT100 BECMG 1009/1011 24014KT SCT035CB BKN100 TEMPO 1012/1018 300

Frequencies

REC - 128.00 MHz - ATIS	TWR - 118.10 MHz - MEHRABAD TOWER
TWR - 124.45 MHz - MEHRABAD TOWER	GND - 121.70 MHz - MEHRABAD GROUND
GND - 121.90 MHz - MEHRABAD GROUND	CLD - 121.85 MHz - MEHRABAD CLEARANCE DELIVERY
APP - 119.70 MHz - MEHRABAD APPROACH	APP - 125.10 MHz - MEHRABAD APPROACH
APP - 119.70 MHz - MEHRABAD RADAR	APP - 125.10 MHz - MEHRABAD RADAR
DEP - 125.10 MHz - MEHRABAD RADAR	DEP - 119.70 MHz - MEHRABAD RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	131 ft	1,589 ft	88.24	CONCRETE	16 ft	75 ft
	40 m	484 m	83.12		5 m	23 m
27	131 ft	1,589 ft	268.24	CONCRETE	16 ft	194 ft
	40 m	484 m	263.13		5 m	59 m
11L	148 ft	13,087 ft	109.70	CONCRETE	0 ft	0 ft
	45 m	3,989 m	104.59		0 m	0 m
29R	148 ft	13,087 ft	289.73	CONCRETE	0 ft	0 ft
	45 m	3,989 m	284.62		0 m	0 m
11R	197 ft	13,379 ft	109.74	ASPHALT	0 ft	1,191 ft
	60 m	4,078 m	104.63		0 m	363 m
29L	197 ft	13,379 ft	289.76	ASPHALT	144 ft	141 ft
	60 m	4,078 m	284.65		44 m	43 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29L	DME	ITHL	109.90 MHz	18 nm	-	-	3,804 ft
				33 km	-		3,804 m
29L	LOC-ILS	ITHL	109.90 MHz	18 nm	289.75	-	3,963 ft
				33 km	284.64		3,963 m
29L	GS	ITHL	109.90 MHz	10 nm	289.75	3.30	3,963 ft
				19 km	284.64		3,963 m